(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
8 July 2004 (08.07.2004)

PCT

(10) International Publication Number
WO 2004/056974 A2

(51) International Patent Classification[7]: C12N

(21) International Application Number:
PCT/US2003/041811

(22) International Filing Date:
19 December 2003 (19.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/435,612 19 December 2002 (19.12.2002) US

(71) Applicant: E.I. DU PONT DE NEMOURS AND COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US).

(72) Inventors: CHENG, Qiong; 4 Collins Drive, Wilmington, DE 19803 (US). ROUVIERE, Pierre, E.; 737 Taunton Road, Wilmington, DE 19803 (US). TAO, Luan; 733 Naamans Road, Apartment #23F, Claymont, DE 19703 (US).

(74) Agent: FELTHAM, S., Neil; E.I. Dupont De Nemours And Company, Legal Patent Records Center, 4417 Lancaster Pike, Wilmington, DE 19805 (US).

(81) Designated States *(national)*: AU, CA, JP, NO.

(84) Designated States *(regional)*: European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MUTATIONS AFFECTING CAROTENOID PRODUCTION



(57) Abstract: Mutations in genes having no direct relationship to the carotenoid biosynthetic pathway have been found to increase carbon flux through that pathway. Complete disruption in the *dea*D, *mreC*, and *yfhE* genes were effective. Additionally where genes of the lower carotenoid pathway reside on a plasmid having either a p15A or pMB1 replicon, mutations in the *thrS*,*rspA*, *rpoC*, *yjeR*, and *rhoL* were found effective.

WO 2004/056974 A2

TITLE

MUTATIONS AFFECTING CAROTENOID PRODUCTION

This application claims the benefit of U.S. Provisional Application No. 60/435,612 filed December 19, 2002.

FIELD OF THE INVENTION

This invention is in the field of microbiology. More specifically, this invention pertains to gene mutations which affect carotenoid production levels in microorganisms.

BACKGROUND OF THE INVENTION

Carotenoids are pigments that are ubiquitous throughout nature and synthesized by all oxygen evolving photosynthetic organisms, and in some heterotrophic growing bacteria and fungi. Industrial uses of carotenoids include pharmaceuticals, food supplements, electro-optic applications, animal feed additives, and colorants in cosmetics, to mention a few.

Because animals are unable to synthesize carotenoids *de novo*, they must obtain them by dietary means. Thus, manipulation of carotenoid production and composition in plants or bacteria can provide new or improved sources for carotenoids.

Carotenoids come in many different forms and chemical structures. Most naturally-occurring carotenoids are hydrophobic tetraterpenoids containing a C_{40} methyl-branched hydrocarbon backbone derived from successive condensation of eight C_5 isoprene units (isopentenyl pyrophosphate, IPP). In addition, novel carotenoids with longer or shorter backbones occur in some species of nonphotosynthetic bacteria. The term "carotenoid" actually includes both carotenes and xanthophylls. A "carotene" refers to a hydrocarbon carotenoid. Carotene derivatives that contain one or more oxygen atoms, in the form of hydroxy-, methoxy-, oxo-, epoxy-, carboxy-, or aldehydic functional groups, or within glycosides, glycoside esters, or sulfates, are collectively known as "xanthophylls". Carotenoids are furthermore described as being acyclic, monocyclic, or bicyclic depending on whether the ends of the hydrocarbon backbones have been cyclized to yield aliphatic or cyclic ring structures (G. Armstrong, (1999) In Comprehensive Natural Products Chemistry, Elsevier Press, volume 2, pp 321-352).

The genetics of carotenoid pigment biosynthesis are well known (Armstrong et al., *J. Bact.*, 176: 4795-4802 (1994); *Annu. Rev. Microbiol.* 51:629-659 (1997)). This pathway is extremely well studied in the Gram-

negative, pigmented bacteria of the genera *Pantoea,* formerly known as *Erwinia*. In both *E. herbicola* EHO-10 (ATCC 39368) and *E. uredovora* 20D3 (ATCC 19321), the *crt* genes are clustered in two operons, *crt Z* and *crt EXYIB* (US 5,656,472; US 5,545,816; US 5,530,189; US 5,530,188; and US 5,429,939). Despite the similarity in operon structure, the DNA sequences of *E. uredovora* and *E. herbicola crt* genes show no homology by DNA-DNA hybridization (US 5,429,939,).

The building block for carotenoids, IPP, is an isoprenoid. Isoprenoids constitute the largest class of natural products in nature, and serve as precursors for sterols (eukaryotic membrane stabilizers), gibberelinns and abscisic acid (plant hormones), menaquinone, plastoquinones, and ubiquinone (used as carriers for electron transport), as well as carotenoids and the phytol side chain of chlorophyll (pigments for photosynthesis). All isoprenoids are synthesized via a common metabolic precursor, isopentenyl pyrophosphate (IPP). Until recently, the biosynthesis of IPP was generally assumed to proceed exclusively from acetyl-CoA via the classical mevalonate pathway. However, the existence of an alternative mevalonate-independent pathway for IPP formation has been characterized for eubacteria and a green alga. *E.coli* contain genes that encode enzymes of the mevalonate-independent pathway of isoprenoid biosynthesis (Figure 1). In this pathway, isoprenoid biosynthesis starts with the condensation of pyruvate with glyceraldehyde-3-phosphate (G3P) to form deoxy-D-xylulose via the enzyme encoded by the *dxs* gene. A host of additional enzymes are then used in subsequent sequential reactions, converting deoxy-D-xylulose to the final C5 isoprene product, isopentenyl pyrophosphate (IPP). IPP is converted to the isomer dimethylallyl pyrophophate (DMAPP) via the enzyme encoded by the *idi* gene. IPP is condensed with DMAPP to form C10 geranyl pyrophosphate (GPP) which is then elongated to C15 farnesyl pyrophosphate (FPP).

FPP synthesis is common in both carotenogenic and non-carotenogenic bacteria. *E.coli* do not normally contain the genes necessary for conversion of FPP to β-carotene (Figure 1). Enzymes in the subsequent carotenoid pathway used to generate carotenoid pigments from FPP precursor can be divided into two categories: carotene backbone synthesis enzymes and subsequent modification enzymes. The backbone synthesis enzymes include geranyl geranyl pyrophosphate synthase (CrtE), phytoene synthase (CrtB), phytoene dehydrogenase (CrtI), and lycopene cyclase (CrtY/L), etc. The modification enzymes include ketolases, hydroxylases, dehydratases, glycosylases, etc.

Engineering *E. coli* for increased carotenoid production has previously focused on overexpression of key isoprenoid pathway genes from multi-copy plasmids. Various studies have report between a 1.5X and 50X increase in carotenoid formation in such *E. coli* systems upon cloning and transformation of plasmids encoding isopentenyl diphosphate isomerase (*idi*), geranylgeranyl pyrophosphate (GGPP) synthase (*gps*), deoxy-D-xylulose-5-phosphate (DXP) synthase (*dxs*), and DXP reductoisomerase (*dxr*) from various sources (Kim, S.-W., and Keasling, J. D., *Biotech. Bioeng.*, 72:408-415 (2001); Mathews, P. D., and Wurtzel, E. T., *Appl. Microbiol. Biotechnol.*, 53:396-400 (2000); Harker, M, and Bramley, P. M., *FEBS Letter.*, 448:115-119 (1999); Misawa, N., and Shimada, H., *J. Biotechnol.*, 59:169-181 (1998); Liao et al., *Biotechnol. Bioeng.*, 62:235-241 (1999); Misawa et al., *Biochem. J.*, 324:421-426 (1997); and Wang et al., *Biotech. Bioeng.*, 62:235-241 (1999)).

Alternatively, other attempts to genetically engineer microbial hosts for increased production of carotenoids have focused on directed evolution of *gps* (Wang et al., *Biotechnol. Prog.*, 16:922-926 (2000)) and overexpression of various isoprenoid and carotenoid biosynthetic genes in different microbial hosts using endogenous and exogenous promoters (Lagarde et al., *Appl. Env. Microbiol.*, 66:64-72 (2000); Szkopinska et al., *J. Lipid Res.*, 38:962-968 (1997); Shimada et al., *Appl. Env. Microb.*, 64:2676-2680 (1998); and Yamano et al., *Biosci. Biotech. Biochem.*, 58:1112-1114 (1994)).

Although these attempts at modulating carotenoid production have had some positive results, the production increases that can be effective by modulation of pathway enzymes is finite. For example, it has been noted that increasing isoprenoid precursor supply seems to be lethal (Sandmann, G., *Trends in Plant Science*, 6:14-17 (2001)), indicating limitations in the amount of carotenoid storage in *E. coli*. It is clear that alternate modifications will have to be made to achieve higher levels.

The problem to be solved therefore is to create a carotenoid overproducing organism for the production of new and useful carotenoids that do not involve direct manipulation of carotenoid or isoprenoid biosynthesis pathway genes. Applicants have solved the stated problem through the discovery that mutations in genes not involved in the isoprenoid or carotenoid biosynthetic pathways have a marked effect in increasing carotenoid production in a carotenoid producing microorganism.

SUMMARY OF THE INVENTION

The invention provides a carotenoid overproducing microorganism comprising the genes encoding a functional isoprenoid enzymatic biosynthetic pathway comprising a disrupted gene selected from the group consisting of *deaD*, *mreC* and *yfhE*. Carotenoid overproducing microorganisms of the invention will preferably contain:

a) an upper isoprenoid enzymatic biosynthetic pathway comprising the genes *dxs, dxr, ygbP (ispD), ychB (ispE), ygbB (ispF), lytB, idi, ispA,* and *ispB;* and

b) a lower isoprenoid enzymatic biosynthetic pathway comprising the genes *crtE, crtB, crtI,* and *crtY,* and optionally *crtZ* and *crtW*

In another embodiment the invention provides a carotenoid overproducing *E. coli* comprising:

a) an upper isoprenoid enzymatic biosynthetic pathway comprising the genes *dxs, dxr, ygbP (ispD), ychB (ispE), ygbB (ispF), lytB, idi, ispA,* and *ispB;*

b) a lower isoprenoid enzymatic biosynthetic pathway comprising the genes *crtE, crtB, crtI,* and *crtY;*

c) mutations selected from the group consisting of: a mutation in the *thrS* gene as set forth in SEQ ID NO: 35, a mutation in the *rpsA* gene as set forth in SEQ ID NO: 37, a mutation in the *rpoC* gene as set forth in SEQ ID NO: 38, a mutation in the *yjeR* gene as set forth in SEQ ID NO: 39, and a mutation in the *rhoL* gene as set forth in SEQ ID NO: 41;

wherein the genes of the lower isoprenoid enzymatic biosynthetic pathway reside on an autonomously replicating plasmid comprising a replicon selected from the group consisting of p15A and pMB1.

Additionally the invention provides a method for the production of a carotenoid comprising:

a) contacting the carotenoid overproducing microorganism of the invention with a fermentable carbon substrate;

b) growing the carotenoid overproducing microorganism of step (a) for a time sufficient to produce a carotenoid; and

c) optionally recovering the carotenoid form the carotenoid overproducing microorganism of step (b).

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE DESCRIPTIONS

Figure 1 shows the biosynthetic pathway for production of β-carotene from *E. coli* used in the present application.

Figure 2 shows the strategy for mutagenesis and screening of *E. coli* chromosomal mutants that increase carotenoid production.

Figure 3 shows the β-carotene production in *E. coli* mutants created in the present invention.

Figure 4 shows the genetic organization of the regions of the *E. coli* chromosome where transposon insertions were located in the various *E. coli* mutants of the present invention.

Figure 5 shows the pPCB15 plasmid encoding carotenoid biosynthetic genes used in the present application.

The invention can be more fully understood from the following detailed description and the accompanying sequence descriptions, which form a part of this application.

The following sequences comply with 37 C.F.R. 1.821-1.825 ("Requirements for Patent Applications Containing Nucleotide Sequences and/or Amino Acid Sequence Disclosures - the Sequence Rules") and are consistent with World Intellectual Property Organization (WIPO) Standard ST.25 (1998) and the sequence listing requirements of the EPO and PCT (Rules 5.2 and 49.5(a-bis), and Section 208 and Annex C of the Administrative Instructions). The symbols and format used for nucleotide and amino acid sequence data comply with the rules set forth in 37 C.F.R. §1.822.

Table 1.

Nucleotide and Amino Acid Sequences for Carotenoid Biosynthesis Genes

Gene/Protein Product	Source	Nucleotide SEQ ID NO	Amino Acid SEQ ID NO
CrtE	*Pantoea stewartii*	1	2
CrtX	*Pantoea stewartii*	3	4
CrtY	*Pantoea stewartii*	5	6
CrtI	*Pantoea stewartii*	7	8
CrtB	*Pantoea stewartii*	9	10
CrtZ	*Pantoea stewartii*	11	12

SEQ ID NOs:13-14 are oligonucleotide primers used to amplify the carotenoid biosynthesis genes from *P. stewartii*.

SEQ ID NOs:15-16 are oligonucleotide primers used to identify the location of transposon insertions.

SEQ ID NOs:17-18 are oligonucleotide primers used to sequence the products amplified by SEQ ID NOs:15-16.

SEQ ID NOs:19-34 are oligonucleotide primers used to confirm transposon insertion sites.

SEQ ID NO: 35 is the nucleotide sequence of the mutated *thrS* gene with the Tn5 insertion.

SEQ ID NO: 36 is the nucleotide sequence of the mutated *deaD* gene with the Tn5 insertion.

SEQ ID NO: 37 is the nucleotide sequence of the mutated *rpsA* gene with the Tn5 insertion.

SEQ ID NO: 38 is the nucleotide sequence of the mutated *rpoC* gene with the Tn5 insertion.

SEQ ID NO: 39 is the nucleotide sequence of the mutated *yjeR* gene with the Tn5 insertion.

SEQ ID NO: 40 is the nucleotide sequence of the mutated *mreC* gene with the Tn5 insertion.

SEQ ID NO: 41 is the nucleotide sequence of the mutated *rhoL* gene with the Tn5 insertion.

SEQ ID NO: 42 is the nucleotide sequence of the mutated *hscB* (*yfhE*) gene with the Tn5 insertion.

SEQ ID NO: 43 is the nucleotide sequence for the reporter plasmid pPCB15.

DETAILED DESCRIPTION OF THE INVENTION

The invention relates to the discovery that mutations in certain genes, not part of the isoprenoid or carotenoid biosynthetic pathway have the effect of increasing carotenoid production. Carotenoid over-producing microorganisms are those that either naturally possess a complete pathway or those that have the pathway engineered by recombinant technology.

In this disclosure, a number of terms and abbreviations are used. The following definitions are provided.

"Open reading frame" is abbreviated ORF.

"Polymerase chain reaction" is abbreviated PCR.

The term "p15A" refers to a replicon for a family of plasmid vectors including pACYC based vectors.

The term "pMB1" refers to a replicon for a family of plasmid vectors including pUC and pBR based vectors

The term "replicon" refers to a genetic element that behaves as an autonomous unit during replication. It contains sequences controlling replication of a plasmid including its origin of replication.

The term "isoprenoid" or "terpenoid" refers to the compounds and any molecules derived from the isoprenoid pathway including 10 carbon terpenoids and their derivatives, such as carotenoids and xanthophylls.

The "Isoprenoid Pathway" as used herein refers to the enzymatic pathway that is responsible for the production of isoprenoids. At a minimum the isoprenoid pathway contains the genes *dxs, dxr, ygbP, ychB, ygbB, lytB, idi, ispA,* and *ispB* which may also be referred to herein as the "Upper Isoprenoid Pathway" or "Upper Pathway". The "Carotenoid Biosynthetic Pathway" or "Lower Isoprenoid Pathway" or "Lower Pathway" refers to the genes encoding enzymes necessary for the production of carotenoid compounds and include, but are not limited to *crtE, crtB, crtI, crtY, crtX,* and *crtZ.*

The term "carotenoid biosynthetic enzyme" is an inclusive term referring to any and all of the enzymes encoded by the *Pantoea crtEXYIB* cluster. The enzymes include CrtE, CrtY, CrtI, CrtB, and CrtX.

A "disrupted gene" refers to a gene having a deletion or addition in the coding region of the gene such that there is a complete loss of the phenotype associated with that gene.

The term "dxs" refers to the enzyme D-1-deoxyxylulose 5-phosphate encoded by the *E. coli dxs* gene which catalyzes the condensation of pyruvate and D-glyceraldehyde 3-phosphate to D-1-deoxyxylulose 5-phosphate.

The term "idi" refers to the enzyme isopentenyl diphosphate isomerase encoded by the *E. coli idi* gene that converts isopentenyl diphosphate to dimethylallyl diphosphate.

The term "pPCB15" refers to the plasmid containing β-carotene biosynthesis genes *Pantoea crtEXYIB*. The plasmid was used as a reporter plasmid for monitoring β-carotene production in *E. coli* genetically engineered via the invented method (SEQ ID NO: 43).

The term "*E. coli*" refers to *Escherichia coli* strain K-12 derivatives, such as MG1655 (ATCC 47076).

The term "*Pantoea stewartii*" will be used interchangeably with *Erwinia stewartii* (Mergaert et al., *Int J. Syst. Bacteriol.*, 43:162-173 (1993)).

The term "*Pantoea ananatas*" is used interchangeably with *Erwinia uredovora* (Mergaert et al., *Int J. Syst. Bacteriol.*, 43:162-173 (1993)).

The term "*Pantoea crtEXYIB* cluster" refers to a gene cluster containing carotenoid synthesis genes *crtEXYIB* amplified from *Pantoea stewartii* ATCC 8199. The gene cluster contains the genes *crtE*, *crtX*, *crtY*, *crtI*, and *crtB*. The cluster also contains a *crtZ* gene organized in opposite direction adjacent to the *crtB* gene.

The term "CrtE" refers to geranylgeranyl pyrophosphate synthase enzyme encoded by *crtE* gene which converts trans-trans-farnesyl diphosphate + isopentenyl diphosphate to pyrophosphate + geranylgeranyl diphosphate.

The term "CrtY" refers to lycopene cyclase enzyme encoded by *crtY* gene which converts lycopene to β-carotene.

The term "CrtI" refers to phytoene dehydrogenase enzyme encoded by *crtI* gene which converts phytoene into lycopene via the intermediaries of phytofluene, zeta-carotene, and neurosporene by the introduction of 4 double bonds.

The term "CrtB" refers to phytoene synthase enzyme encoded by *crtB* gene which catalyzes reaction from prephytoene diphosphate (geranylgeranyl pyrophosphate) to phytoene.

The term "CrtX" refers to zeaxanthin glucosyl transferase enzyme encoded by *crtX* gene which converts zeaxanthin to zeaxanthin-β-diglucoside.

The term "CrtZ" refers to the β-carotene hydroxylase enzyme encoded by *crtZ* gene which catalyses hydroxylation reaction from β-carotene to zeaxanthin.

The term "*thrS*" refers to the threonyl-tRNA synthetase gene locus.

The term "*deaD*" refers to the RNA helicase gene locus.

The term "*rpsA*" refers to the 30S ribosomal subunit protein S1 gene locus.

The term "*rpoC*" refers to the RNA polymerase β' subunit gene locus.

The term "*yjeR*" refers to the oligo-ribonuclease gene locus.

The term "*mreC*" refers to the rod-shape determining protein gene locus.

The term "*rhoL*" refers to the rho operon leader peptide gene locus.

The terms "*hscB*" or "*yfhE*" refer to the heat shock cognate protein gene locus.

As used herein, an "isolated nucleic acid fragment" is a polymer of RNA or DNA that is single- or double-stranded, optionally containing synthetic, non-natural or altered nucleotide bases. An isolated nucleic acid

fragment in the form of a polymer of DNA may be comprised of one or more segments of cDNA, genomic DNA or synthetic DNA.

The term "complementary" is used to describe the relationship between nucleotide bases that are capable to hybridizing to one another. For example, with respect to DNA, adenosine is complementary to thymine and cytosine is complementary to guanine.

"Codon degeneracy" refers to the nature in the genetic code permitting variation of the nucleotide sequence without effecting the amino acid sequence of an encoded polypeptide. The skilled artisan is well aware of the "codon-bias" exhibited by a specific host cell in usage of nucleotide codons to specify a given amino acid. Therefore, when synthesizing a gene for improved expression in a host cell, it is desirable to design the gene such that its frequency of codon usage approaches the frequency of preferred codon usage of the host cell.

"Synthetic genes" can be assembled from oligonucleotide building blocks that are chemically synthesized using procedures known to those skilled in the art. These building blocks are ligated and annealed to form gene segments which are then enzymatically assembled to construct the entire gene. "Chemically synthesized", as related to a sequence of DNA, means that the component nucleotides were assembled *in vitro*. Manual chemical synthesis of DNA may be accomplished using well-established procedures, or automated chemical synthesis can be performed using one of a number of commercially available machines. Accordingly, the genes can be tailored for optimal gene expression based on optimization of nucleotide sequence to reflect the codon bias of the host cell. The skilled artisan appreciates the likelihood of successful gene expression if codon usage is biased towards those codons favored by the host. Determination of preferred codons can be based on a survey of genes derived from the host cell where sequence information is available.

"Gene" refers to a nucleic acid fragment that expresses a specific protein, including regulatory sequences preceding (5' non-coding sequences) and following (3' non-coding sequences) the coding sequence. "Native gene" refers to a gene as found in nature with its own regulatory sequences. "Chimeric gene" refers to any gene that is not a native gene, comprising regulatory and coding sequences that are not found together in nature. Accordingly, a chimeric gene may comprise regulatory sequences and coding sequences that are derived from different sources, or regulatory sequences and coding sequences derived from the same source, but arranged in a

manner different than that found in nature. "Endogenous gene" refers to a native gene in its natural location in the genome of an organism. A "foreign" gene refers to a gene not normally found in the host organism, but that is introduced into the host organism by gene transfer. Foreign genes can comprise native genes inserted into a non-native organism, or chimeric genes. A "transgene" is a gene that has been introduced into the genome by a transformation procedure.

"Operon", in bacterial DNA, is a cluster of contiguous genes transcribed from one promoter that gives rise to a polycistronic mRNA.

"Coding sequence" refers to a DNA sequence that codes for a specific amino acid sequence. "Suitable regulatory sequences" refer to nucleotide sequences located upstream (5' non-coding sequences), within, or downstream (3' non-coding sequences) of a coding sequence, and which influence the transcription, RNA processing or stability, or translation of the associated coding sequence. Regulatory sequences may include promoters, translation leader sequences, introns, polyadenylation recognition sequences, RNA processing site, effector binding site and stem-loop structure.

"Promoter" refers to a DNA sequence capable of controlling the expression of a coding sequence or functional RNA. In general, a coding sequence is located 3' to a promoter sequence. Promoters may be derived in their entirety from a native gene, or be composed of different elements derived from different promoters found in nature, or even comprise synthetic DNA segments. It is understood by those skilled in the art that different promoters may direct the expression of a gene in different tissues or cell types, or at different stages of development, or in response to different environmental or physiological conditions. Promoters which cause a gene to be expressed in most cell types at most times are commonly referred to as "constitutive promoters". It is further recognized that since in most cases the exact boundaries of regulatory sequences have not been completely defined, DNA fragments of different lengths may have identical promoter activity.

The "3' non-coding sequences" refer to DNA sequences located downstream of a coding sequence encoding regulatory signals capable of affecting mRNA processing or gene expression.

"RNA transcript" refers to the product resulting from RNA polymerase-catalyzed transcription of a DNA sequence. When the RNA transcript is a perfect complementary copy of the DNA sequence, it is referred to as the primary transcript or it may be a RNA sequence derived from post-transcriptional processing of the primary transcript and is referred to as the

mature RNA. "Messenger RNA (mRNA)" refers to the RNA that is without introns and that can be translated into protein by the cell. "cDNA" refers to a double-stranded DNA that is complementary to and derived from mRNA. "Sense" RNA refers to RNA transcript that includes the mRNA and so can be translated into protein by the cell. "Antisense RNA" refers to a RNA transcript that is complementary to all or part of a target primary transcript or mRNA and that blocks the expression of a target gene (U.S. Patent No. 5,107,065; WO 9928508). The complementarity of an antisense RNA may be with any part of the specific gene transcript, i.e., at the 5' non-coding sequence, 3' non-coding sequence, or the coding sequence. "Functional RNA" refers to antisense RNA, ribozyme RNA, or other RNA that is not translated yet has an effect on cellular processes.

The term "operably linked" refers to the association of nucleic acid sequences on a single nucleic acid fragment so that the function of one is affected by the other. For example, a promoter is operably linked with a coding sequence when it is capable of affecting the expression of that coding sequence (i.e., that the coding sequence is under the transcriptional control of the promoter). Coding sequences can be operably linked to regulatory sequences in sense or antisense orientation.

The term "expression", as used herein, refers to the transcription and stable accumulation of sense (mRNA) or antisense RNA derived from the nucleic acid fragment of the invention. Expression may also refer to translation of mRNA into a polypeptide.

"Transformation" refers to the transfer of a nucleic acid fragment into the genome of a host organism, resulting in genetically stable inheritance. Host organisms containing the transformed nucleic acid fragments are referred to as "transgenic" or "recombinant" or "transformed" organisms.

The terms "plasmid", "vector" and "cassette" refer to an extra chromosomal element often carrying genes which are not part of the central metabolism of the cell, and usually in the form of circular double-stranded DNA fragments. Such elements may be autonomously replicating sequences, genome integrating sequences, phage or nucleotide sequences, linear or circular, of a single- or double-stranded DNA or RNA, derived from any source, in which a number of nucleotide sequences have been joined or recombined into a unique construction which is capable of introducing a promoter fragment and DNA sequence for a selected gene product along with appropriate 3' untranslated sequence into a cell. "Transformation cassette" refers to a specific vector containing a foreign gene and having elements in

addition to the foreign gene that facilitate transformation of a particular host cell. "Expression cassette" refers to a specific vector containing a foreign gene and having elements in addition to the foreign gene that allow for enhanced expression of that gene in a foreign host.

The term "fermentable carbon substrate" refers to the carbon source metabolized by a carotenoid overproducing microorganism. Typically fermentable carbon substrates will include, but are not limited to, carbon sources selected from the group consisting of monosaccharides, oligosaccharides, polysaccharides, and one-carbon substrates or mixtures thereof.

The term "carotenoid overproducing microorganism" refers to a microorganism of the invention which has been genetically modified by the up-regulation or down-regulation of various genes to produce a carotenoid compound a levels greater than the wildtype or unmodified host.

The term "sequence analysis software" refers to any computer algorithm or software program that is useful for the analysis of nucleotide or amino acid sequences. "Sequence analysis software" may be commercially available or independently developed. Typical sequence analysis software will include, but is not limited to, the GCG suite of programs (Wisconsin Package Version 9.0, Genetics Computer Group (GCG), Madison, WI), BLASTP, BLASTN, BLASTX (Altschul et al., *J. Mol. Biol.* 215:403-410 (1990), and DNASTAR (DNASTAR, Inc. 1228 S. Park St. Madison, WI 53715 USA), and the FASTA program incorporating the Smith-Waterman algorithm (W. R. Pearson, *Comput. Methods Genome Res.*, [Proc. Int. Symp.] (1994), Meeting Date 1992, 111-20. Editor(s): Suhai, Sandor. Publisher: Plenum, New York, NY. Within the context of this application it will be understood that where sequence analysis software is used for analysis, that the results of the analysis will be based on the "default values" of the program referenced, unless otherwise specified. As used herein "default values" will mean any set of values or parameters which originally load with the software when first initialized.

Standard recombinant DNA and molecular cloning techniques used here are well known in the art and are described by Sambrook, J., Fritsch, E. F. and Maniatis, T., Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1989) (hereinafter "Maniatis"); and by Silhavy, T. J., Bennan, M. L. and Enquist, L. W., Experiments with Gene Fusions, Cold Spring Harbor Laboratory Cold Press Spring Harbor, NY (1984); and by Ausubel, F. M. et al., Current

Protocols in Molecular Biology, published by Greene Publishing Assoc. and Wiley-Interscience (1987).

The present invention relates to microorganisms that produce carotenoid compounds and methods for increasing carotenoid production in microorganisms having a functional isoprenoid biosynthetic pathway. Specifically, it has been found that mutations in genes having no direct relationship to the carotenoid biosynthetic pathway have been found to increase carbon flux through that pathway. For example, complete disruption of the *deaD*, *mreC* or *yfhE* genes was effective at increasing the production of carotenoid from an engineered host. Additionally, where genes of the lower carotenoid pathway reside on a plasmid having either a p15A or pMB1 replicon, mutations in the *thrS*, *rpsA*, *rpoC*, *yjeR*, and *rhoL* genes were found to be similarly effective.

Genes Involved in Carotenoid Production.

The enzyme pathway involved in the biosynthesis of carotenoids can be conveniently viewed in two parts, the upper isoprenoid pathway providing for the conversion of pyruvate and glyceraldehyde-3-phosphate to farnesyl pyrophosphate and the lower carotenoid biosynthetic pathway, which provides for the synthesis of phytoene and all subsequently produced carotenoids. The upper pathway is ubiquitous in many microorganisms. In the present invention it will only be necessary to introduce genes that comprise the lower pathway for the biosynthesis of the desired carotenoid. The key division between the two pathways concerns the synthesis of farnesyl pyrophosphate (FPP). Where FPP is naturally present, only elements of the lower carotenoid pathway will be needed. However, it will be appreciated that for the lower pathway carotenoid genes to be effective in the production of carotenoids, it will be necessary for the host cell to have suitable levels of FPP within the cell. Where FPP synthesis is not provided by the host cell, it will be necessary to introduce the genes necessary for the production of FPP. Each of these pathways will be discussed below in detail.

The Upper Isoprenoid Pathway

Isopentenyl pyrophosphate (IPP) biosynthesis occurs through either of two pathways. First, IPP may be synthesized through the well-known acetate/mevalonate pathway. However, recent studies have demonstrated that the mevalonate-dependent pathway does not operate in all living organisms. An alternate mevalonate-independent pathway for IPP biosynthesis has been characterized in bacteria, green algae, and higher plants (Horbach et al., *FEMS Microbiol. Lett.*, 111:135-140 (1993); Rohmer

et al, *Biochem.*, 295: 517-524 (1993); Schwender et al., *Biochem.*, 316: 73-80 (1996); and Eisenreich et al., *Proc. Natl. Acad. Sci. USA*, 93: 6431-6436 (1996)).

Many steps in both isoprenoid pathways are known (Figure 1). For example, the initial steps of the alternate pathway leading to the production of IPP have been studied in *Mycobacterium tuberculosis* by Cole et al. (*Nature*, 393:537-544 (1998)). The first step of the pathway involves the condensation of two 3-carbon molecules (pyruvate and D-glyceraldehyde 3-phosphate) to yield a 5-carbon compound known as D-1-deoxyxylulose-5-phosphate. This reaction occurs by the DXS enzyme, encoded by the *dxs* gene. Next, the isomerization and reduction of D-1-deoxyxylulose-5-phosphate yields 2-C-methyl-D-erythritol-4-phosphate. One of the enzymes involved in the isomerization and reduction process is D-1-deoxyxylulose-5-phosphate reductoisomerase (DXR), encoded by the gene *dxr*. 2-C-methyl-D-erythritol-4-phosphate is subsequently converted into 4-diphosphocytidyl-2C-methyl-D-erythritol in a CTP-dependent reaction by the enzyme encoded by the non-annotated gene *ygbP*. Recently, however, the *ygbP* gene was renamed as *ispD* as a part of the *isp* gene cluster (SwissProtein Accession #Q46893).

Next, the 2nd position hydroxy group of 4-diphosphocytidyl-2C-methyl-D-erythritol can be phosphorylated in an ATP-dependent reaction by the enzyme encoded by the *ychB* gene. This product phosphorylates 4-diphosphocytidyl-2C-methyl-D-erythritol, resulting in 4-diphosphocytidyl-2C-methyl-D-erythritol 2-phosphate. The *ychB* gene was renamed as *ispE*, also as a part of the *isp* gene cluster (SwissProtein Accession #P24209). Finally, the enzyme encoded by the *ygbB* gene converts 4-diphosphocytidyl-2C-methyl-D-erythritol 2-phosphate to 2C-methyl-D-erythritol 2,4-cyclodiphosphate in a CTP-dependent manner. This gene has also been recently renamed, and belongs to the *isp* gene cluster. Specifically, the new name for the *ygbB* gene is *ispF* (SwissProtein Accession #P36663).

It is known that 2C-methyl-D-erythritol 2,4-cyclodiphosphate can be further converted into IPP to ultimately produce carotenoids in the carotenoid biosynthesis pathway. However, the reactions leading to the production of isopentenyl monophosphate from 2C-methyl-D-erythritol 2,4-cyclodiphosphate are not yet well-characterized. The enzymes encoded by the *lytB* and *gcpE* genes (and perhaps others) are thought to participate in the reactions leading to formation of isopentenyl pyrophosphate (IPP) and dimethylallyl pyrophosphate (DMAPP).

IPP may be isomerized to DMAPP via IPP isomerase, encoded by the *idi* gene, however this enzyme is not essential for survival and may be absent in some bacteria using 2-C-methyl-D-erythritol 4-phosphate (MEP) pathway. Recent evidence suggests that the MEP pathway branches before IPP and separately produces IPP and DMAPP via the *lytB* gene product. A *lytB* knockout mutation is lethal in *E. coli* except in media supplemented with both IPP and DMAPP.

The synthesis of FPP occurs via isomerization of IPP to dimethylallyl pyrophosphate (DMAPP). This reaction is followed by a sequence of two prenyltransferase reactions catalyzed by *ispA*, leading to the creation of geranyl pyrophosphate (GPP; a 10-carbon molecule) and farnesyl pyrophosphate (FPP; 15-carbon molecule).

Genes encoding elements of the upper pathway are known from a variety of plant, animal, and bacterial sources, as shown in Table 2.

Table 2

Sources of Genes Encoding the Upper Isoprene Pathway

Gene	**GenBank® Accession Number and Source Organism**
dxs (D-1-deoxyxylulose 5-phosphate synthase)	AF035440, *Escherichia coli* Y18874, *Synechococcus* PCC6301 AB026631, *Streptomyces* sp. CL190 AB042821, *Streptomyces griseolosporeus* AF111814, *Plasmodium falciparum* AF143812, *Lycopersicon esculentum* AJ279019, *Narcissus pseudonarcissus* AJ291721, *Nicotiana tabacum*
dxr (1-deoxy-D-xylulose 5-phosphate reductoisomerase)	AB013300, *Escherichia coli* AB049187, *Streptomyces griseolosporeus* AF111813, *Plasmodium falciparum* AF116825, *Mentha x piperita* AF148852, *Arabidopsis thaliana* AF182287, *Artemisia annua* AF250235, *Catharanthus roseus* AF282879, *Pseudomonas aeruginosa* AJ242588, *Arabidopsis thaliana* AJ250714, *Zymomonas mobilis* strain ZM4 AJ292312, *Klebsiella pneumoniae* AJ297566, *Zea mays*

ispD (2-C-methyl-D-erythritol 4-phosphate cytidylyltransferase)	AB037876, *Arabidopsis thaliana* AF109075, *Clostridium difficile* AF230736, *Escherichia coli* AF230737, *Arabidopsis thaliana*
ispE (4-diphosphocytidyl-2-C-methyl-D-erythritol kinase)	AF216300, *Escherichia coli* AF263101, *Lycopersicon esculentum* AF288615, *Arabidopsis thaliana*
ispF (2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase)	AB038256, *Escherichia coli mecs* gene AF230738, *Escherichia coli* AF250236, *Catharanthus roseus* (MECS) AF279661, *Plasmodium falciparum* AF321531, *Arabidopsis thaliana*
lytB	AF027189, *Acinetobacter* sp. BD413 AF098521, *Burkholderia pseudomallei* AF291696, *Streptococcus pneumoniae* AF323927, *Plasmodium falciparum* M87645, *Bacillus subtillis* U38915, *Synechocystis* sp. X89371, *Campylobacter jejuni*
gcpE (1-hydroxy-2-methyl-2-(E)-butenyl 4-diphosphate synthase)	O67496, *Aquifex aeolicus* P54482, *Bacillus subtilis* Q9pky3, *Chlamydia muridarum* Q9Z8H0, *Chlamydophila pneumoniae* O84060, *Chlamydia trachomatis* P27433, *Escherichia coli* P44667, *Haemophilus influenzae* Q9ZLL0, *Helicobacter pylori* J99 O33350, *Mycobacterium tuberculosis* S77159, *Synechocystis* sp. Q9WZZ3, *Thermotoga maritima* O83460, *Treponema pallidum* Q9JZ40, *Neisseria meningitidis* Q9PPM1, *Campylobacter jejuni* Q9RXC9, *Deinococcus radiodurans* AAG07190, *Pseudomonas aeruginosa* Q9KTX1, *Vibrio cholerae*

ispA (FPP synthase)	AB003187, *Micrococcus luteus* AB016094, *Synechococcus elongatus* AB021747, *Oryza sativa FPPS1* gene for farnesyl diphosphate synthase AB028044, *Rhodobacter sphaeroides* AB028046, *Rhodobacter capsulatus* AB028047, *Rhodovulum sulfidophilum* AF112881 and AF136602, *Artemisia annua* AF384040, *Mentha x piperita* D00694, *Escherichia coli* D13293, *B. stearothermophilus* D85317, *Oryza sativa* X75789, *Arabidopsis thaliana* Y12072, *G.arboreum* Z49786, *H.brasiliensis* U80605, *Arabidopsis thaliana* farnesyl diphosphate synthase precursor (*FPS1*) mRNA, complete cds X76026, *K.lactis FPS* gene for farnesyl diphosphate synthetase, *QCR8* gene for bc1 complex, subunit VIII X82542, *P.argentatum* mRNA for farnesyl diphosphate synthase (*FPS1*) X82543, *P.argentatum* mRNA for farnesyl diphosphate synthase (*FPS2*) BC010004, *Homo sapiens*, farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase), clone MGC 15352 IMAGE, 4132071, mRNA, complete cds AF234168, *Dictyostelium discoideum* farnesyl diphosphate synthase (*Dfps*) L46349, *Arabidopsis thaliana* farnesyl diphosphate synthase (*FPS2*) mRNA, complete cds L46350, *Arabidopsis thaliana* farnesyl diphosphate synthase (*FPS2*) gene, complete cds L46367, *Arabidopsis thaliana* farnesyl diphosphate synthase (*FPS1*) gene, alternative products, complete cds M89945, Rat farnesyl diphosphate synthase gene, exons 1-8 NM_002004, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA U36376, *Artemisia annua* farnesyl diphosphate synthase (*fps1*) mRNA, complete cds XM_001352, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA

	XM_034497, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA XM_034498, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA XM_034499, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA XM_034500, *Homo sapiens* farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase) (*FDPS*), mRNA

The most preferred source of genes for the upper isoprenoid pathway in the present invention are the endogenous genes in *E. coli* MG1655.

The Carotenoid Biosynthetic Pathway – Lower Isoprenoid Pathway

The division between the upper isoprenoid pathway and the lower carotenoid pathway is somewhat subjective. Because FPP synthesis is common in both carotenogenic and non-carotenogenic bacteria, the Applicants considers the first step in the lower carotenoid biosynthetic pathway to begin with the prenyltransferase reaction converting farnesyl pyrophosphate (FPP) to geranylgeranyl pyrophosphate (GGPP). The gene *crtE*, encoding GGPP synthetase, is responsible for this prenyltransferase reaction which adds IPP to FPP to produce the 20-carbon molecule GGPP. A condensation reaction of two molecules of GGPP occurs to form phytoene (PPPP), the first 40-carbon molecule of the lower carotenoid biosynthesis pathway. This enzymatic reaction is catalyzed by phytoene synthase.

Lycopene, which imparts a "red"-colored spectra, is produced from phytoene through four sequential dehydrogenation reactions by the removal of eight atoms of hydrogen. This series of dehydrogenation reactions is catalyzed by phytoene desaturase. Intermediaries in this reaction are phytofluene, zeta-carotene, and neurosporene.

Lycopene cyclase (*crtY*) converts lycopene to β-carotene.

β-carotene is converted to zeaxanthin via a hydroxylation reaction resulting from the activity of β-carotene hydroxylase (encoded by the *crtZ* gene). β-cryptoxanthin is an intermediate in this reaction.

β-carotene is converted to canthaxanthin by β-carotene ketolase (encoded by the *crtW* gene). Echinenone in an intermediate in this reaction.

Canthaxanthin can then be converted to astaxanthin by β-carotene hydroxylase (encoded by the *crtZ* gene). Adonbirubrin is an intermediate in this reaction.

Zeaxanthin can be converted to zeaxanthin-β-diglucoside. This reaction is catalyzed by zeaxanthin glucosyl transferase (*crtX*).

Zeaxanthin can be converted to astaxanthin by β–carotene ketolase encoded by a *crtW* or *crtO* gene. Adonixanthin is an intermediate in this reaction.

Spheroidene can be converted to spheroidenone by spheroidene monooxygenase (encoded by *crtA*).

Neurosporene can be converted to spheroidene and lycopene can be converted to spirilloxanthin by the sequential actions of hydroxyneurosporene synthase, methoxyneurosporene desaturase, and hydroxyneurosporene-O-methyltransferase encoded by the *crtC*, *crtD* and *crtF* genes, respectively.

β-carotene can be converted to isorenieratene by β-carotene desaturase encoded by *crtU* .

Genes encoding elements of the lower carotenoid biosynthetic pathway are known from a variety of plant, animal, and bacterial sources, as shown in Table 3.

Table 3

Sources of Genes Encoding the Lower Carotenoid Biosynthetic Pathway

Gene	***Genbank Accession Number and Source Organism***
crtE (GGPP Synthase)	AB000835, *Arabidopsis thaliana* AB016043 and AB019036, *Homo sapiens* AB016044, *Mus musculus* AB027705 and AB027706, *Daucus carota* AB034249, *Croton sublyratus* AB034250, *Scoparia dulcis* AF020041, *Helianthus annuus* AF049658, *Drosophila melanogaster* signal recognition particle 19kDa protein (*srp19*) gene,partial sequence; and geranylgeranyl pyrophosphate synthase (quemao) gene,complete cds AF049659, *Drosophila melanogaster* geranylgeranyl pyrophosphate synthase mRNA, complete cds AF139916, *Brevibacterium linens* AF279807, *Penicillium paxilli* geranylgeranyl pyrophosphate synthase (*ggs1*) gene, complete AF279808 *Penicillium paxilli* dimethylallyl tryptophan synthase (*paxD*) gene, partial cds;and cytochrome P450

	monooxygenase (*paxQ*), cytochrome P450 monooxygenase (*paxP*),PaxC (*paxC*), monooxygenase (*paxM*), geranylgeranyl pyrophosphate synthase (*paxG*),PaxU (*paxU*), and metabolite transporter (*paxT*) genes, complete cds AJ010302, *Rhodobacter sphaeroides* AJ133724, *Mycobacterium aurum* AJ276129, *Mucor circinelloides f. lusitanicus carG* gene for geranylgeranyl pyrophosphate synthase, exons 1-6 D85029 *Arabidopsis thaliana* mRNA for geranylgeranyl pyrophosphate synthase, partial cds L25813, *Arabidopsis thaliana* L37405, *Streptomyces griseus* geranylgeranyl pyrophosphate synthase (*crtB*), phytoene desaturase (*crtE*) and phytoene synthase (*crtI*) genes, complete cds U15778, *Lupinus albus* geranylgeranyl pyrophosphate synthase (*ggps1*) mRNA, complete cds U44876, *Arabidopsis thaliana* pregeranylgeranyl pyrophosphate synthase (*GGPS2*) mRNA, complete cds X92893, *C.roseus* X95596, *S.griseus* X98795, *S.alba* Y15112, *Paracoccus marcusii*
crtX (Zeaxanthin glucosylase)	D90087, *E. uredovora* M87280 and M90698, *Pantoea agglomerans*
crtY (Lycopene-β-cyclase)	AF139916, *Brevibacterium linens* AF152246, *Citrus x paradisi* AF218415, *Bradyrhizobium sp.* ORS278 AF272737, *Streptomyces griseus* strain IFO13350 AJ133724, *Mycobacterium aurum* AJ250827, *Rhizomucor circinelloides f. lusitanicus carRP* gene for lycopene cyclase/phytoene synthase, exons 1-2 AJ276965, *Phycomyces blakesleeanus carRA* gene for phytoene synthase/lycopene cyclase, exons 1-2 D58420, *Agrobacterium aurantiacum* D83513, *Erythrobacter longus* L40176, *Arabidopsis thaliana* lycopene cyclase (*LYC*) mRNA, complete cds M87280, *Pantoea agglomerans* U50738, *Arabodopsis thaliana* lycopene epsilon cyclase mRNA, complete cds U50739 *Arabidosis thaliana* lycopene β cyclase mRNA, complete cds

	U62808, *Flavobacterium* ATCC21588 X74599 *Synechococcus sp. lcy* gene for lycopene cyclase X81787 *N.tabacum CrtL-1* gene encoding lycopene cyclase X86221, *C.annuum* X86452, *L.esculentum* mRNA for lycopene β-cyclase X95596, *S.griseus* X98796, *N. pseudonarcissus*
crtI (Phytoene desaturase)	AB046992, *Citrus unshiu* CitPDS1 mRNA for phytoene desaturase, complete cds AF039585 *Zea mays* phytoene desaturase (*pds1*) gene promoter region and exon 1 AF049356 *Oryza sativa* phytoene desaturase precursor (Pds) mRNA, complete cds AF139916, *Brevibacterium linens* AF218415, *Bradyrhizobium sp.* ORS278 AF251014, *Tagetes erecta* AF364515, *Citrus x paradisi* D58420, *Agrobacterium aurantiacum* D83514, *Erythrobacter longus* L16237, *Arabidopsis thaliana* L37405, *Streptomyces griseus* geranylgeranyl pyrophosphate synthase (*crtB*), phytoene desaturase (*crtE*) and phytoene synthase (*crtI*) genes, complete cds L39266, *Zea mays* phytoene desaturase (*Pds*) mRNA, complete cds M64704, Soybean phytoene desaturase M88683, *Lycopersicon esculentum* phytoene desaturase (*pds*) mRNA, complete cds S71770, carotenoid gene cluster U37285, *Zea mays* U46919, *Solanum lycopersicum* phytoene desaturase (*Pds*) gene, partial cds U62808, *Flavobacterium* ATCC21588 X55289, *Synechococcus pds* gene for phytoene desaturase X59948, *L.esculentum* X62574, *Synechocystis sp. pds* gene for phytoene desaturase X68058 *C.annuum pds1* mRNA for phytoene desaturase X71023 *Lycopersicon esculentum pds* gene for phytoene desaturase X78271, *L.esculentum* (Ailsa Craig) *PDS* gene X78434, *P.blakesleeanus* (NRRL1555) *carB* gene

	X78815, *N. pseudonarcissus* X86783, *H. pluvialis* Y14807, *Dunaliella bardawil* Y15007, *Xanthophyllomyces dendrorhous* Y15112, *Paracoccus marcusii* Y15114, *Anabaena* PCC7210 *crtP* gene Z11165, *R. capsulatus*
crtB (Phytoene synthase)	AB001284, *Spirulina platensis* AB032797, *Daucus carota PSY* mRNA for phytoene synthase, complete cds AB034704, *Rubrivivax gelatinosus* AB037975, *Citrus unshiu* AF009954, *Arabidopsis thaliana* phytoene synthase (*PSY*) gene, complete cds AF139916, *Brevibacterium linens* AF152892, *Citrus x paradisi* AF218415, *Bradyrhizobium sp.* ORS278 AF220218, *Citrus unshiu* phytoene synthase (*Psy1*) mRNA, complete cds AJ010302, *Rhodobacter* AJ133724, *Mycobacterium aurum* AJ278287, *Phycomyces blakesleeanus carRA* gene for lycopene cyclase/phytoene synthase, AJ304825 *Helianthus annuus* mRNA for phytoene synthase (*psy* gene) AJ308385 *Helianthus annuus* mRNA for phytoene synthase (*psy* gene) D58420, *Agrobacterium aurantiacum* L23424 *Lycopersicon esculentum* phytoene synthase (*PSY2*) mRNA, complete cds L25812, *Arabidopsis thaliana* L37405, *Streptomyces griseus* geranylgeranyl pyrophosphate synthase (*crtB*), phytoene desaturase (*crtE*) and phytoene synthase (*crtI*) genes, complete cds M38424 *Pantoea agglomerans* phytoene synthase (*crtE*) gene, complete cds M87280, *Pantoea agglomerans* S71770, carotenoid gene cluster U32636 *Zea mays* phytoene synthase (*Y1*) gene, complete cds U62808, *Flavobacterium* ATCC21588 U87626, *Rubrivivax gelatinosus* U91900, *Dunaliella bardawil* X52291, *Rhodobacter capsulatus*

	X60441, *L. esculentum GTom5* gene for phytoene synthase X63873 *Synechococcus* PCC7942 *pys* gene for phytoene synthase X68017 *C. annuum psy1* mRNA for phytoene synthase X69172 *Synechocystis sp. pys* gene for phytoene synthase X78814, *N. pseudonarcissus*
crtZ (β-carotene hydroxylase)	D58420, *Agrobacterium aurantiacum* D58422, *Alcaligenes sp.* D90087, *E. uredovora* M87280, *Pantoea agglomerans* U62808, *Flavobacterium* ATCC21588 Y15112, *Paracoccus marcusii*
crtW (β-carotene ketolase)	AF218415, *Bradyrhizobium sp.* ORS278 D45881, *Haematococcus pluvialis* D58420, *Agrobacterium aurantiacum* D58422, *Alcaligenes sp.* X86782, *H. pluvialis* Y15112, *Paracoccus marcusii*
crtO (β-C4-ketolase)	X86782, *H. pluvialis* Y15112, *Paracoccus marcusii*
crtU (β-carotene dehydrogenase)	AF047490, *Zea mays* AF121947, *Arabidopsis thaliana* AF139916, *Brevibacterium linens* AF195507, *Lycopersicon esculentum* AF272737, *Streptomyces griseus* strain IFO13350 AF372617, *Citrus x paradisi* AJ133724, *Mycobacterium aurum* AJ224683, *Narcissus pseudonarcissus* D26095 and U38550, *Anabaena sp.* X89897, *C. annuum* Y15115, *Anabaena* PCC7210 *crtQ* gene
crtA (spheroidene monooxygenase)	AJ010302, *Rhodobacter sphaeroides* Z11165 and X52291, *Rhodobacter capsulatus*
crtC (hydroxyneurosporene synthase)	AB034704, *Rubrivivax gelatinosus* AF195122 and AJ010302, *Rhodobacter sphaeroides* AF287480, *Chlorobium tepidum* U73944, *Rubrivivax gelatinosus* X52291 and Z11165, *Rhodobacter capsulatus* Z21955, *M. xanthus*
crtD (carotenoid 3,4-desaturase)	AJ010302 and X63204, *Rhodobacter sphaeroides* U73944, *Rubrivivax gelatinosus* X52291and Z11165, *Rhodobacter capsulatus*
crtF (1-OH-carotenoid	AB034704, *Rubrivivax gelatinosus* AF288602, *Chloroflexus aurantiacus*

methylase)	AJ010302, *Rhodobacter sphaeroides* X52291 and Z11165, *Rhodobacter capsulatus*

The most preferred source of genes for the lower carotenoid biosynthetic pathway in the present invention are from *Pantoea stewartii* (ATCC No. 8199). Sequences of these preferred genes are presented as the following SEQ ID numbers: the *crtE* gene (SEQ ID NO:1), the *crtX* gene (SEQ ID NO:3), *crtY* (SEQ ID NO:5), the *crtI* gene (SEQ ID NO:7), the *crtB* gene (SEQ ID NO:9) and the *crtZ* gene (SEQ ID NO:11).

Gene Mutations

The invention relates to the discovery that certain mutations of chromosomal genes unexpectedly resulted in the increased production of carotenoids. Several of the mutations were complete gene disruptions whereas others were mutations in the carboxyl end of essential genes that resulted in an alteration, but not complete loss of gene function. Genes having complete disruptions included the *deaD*, *mreC*, and *yfhE* genes. Genes where only partial function was lost included the *thrS, rpsA, rpoC, yjeR,* and *rhoL* genes.

In the case where the disruptions occur in the *deaD*, *mreC* and *yfhE* genes, the elements of the upper and lower isoprenoid pathway may be either integrated into the cell genome or present, in whole or in part, on an autonomously replicating plasmid. However, in the case of the partial mutations in the *thrS, rpsA, rpoC, yjeR,* and *rhoL* genes, it is essential to the invention that genes belonging to the lower isoprenoid pathway (needed for the production of the desired carotenoid compound) be present on a plasmid and that plasmid be antisense RNA regulated as is the case with plasmids having the p15A and pMB1 replicons.

The copy number of two types of ColE1 plasmids, p15A and pMB1 derived replicons, is regulated by the antisense mechanism (Tomizawa, J., *Cell*, 38:861-870 (1984)). A transcript (RNA II) from the ColE1 primer promoter forms a persistent hybrid with the template DNA near the replication origin. The hybridized RNA II is cleaved by RNAase H to form the primer for replication initiation. Binding of the antisense RNA (RNA I) to RNA II inhibits the hybridization and thus prevents primer formation for replication. Rop is a small protein that when bound to both RNA molecules, increases the stability of the RNA I/ RNA II complex, thus decreasing the likelihood of replication.

Methods of constructing plasmids suitable in the present invention are common and well known in the art (Sambrook et al., *supra*). For example, typically the vector or cassette contains sequences directing transcription and translation of the relevant gene, a selectable marker, and sequences allowing

autonomous replication or chromosomal integration. Suitable vectors comprise a region 5' of the gene which harbors transcriptional initiation controls and a region 3' of the DNA fragment which controls transcriptional termination. It is most preferred when both control regions are derived from genes homologous to the transformed host cell, although it is to be understood that such control regions need not be derived from the genes native to the specific species chosen as a production host.

Initiation control regions or promoters, which are useful to drive expression of the instant ORF's in the desired host cell, are numerous and familiar to those skilled in the art. Virtually any promoter capable of driving these genes is suitable for the present invention including but not limited to *CYC1*, *HIS3*, *GAL1*, *GAL10*, *ADH1*, *PGK*, *PHO5*, *GAPDH*, *ADC1*, *TRP1*, *URA3*, *LEU2*, *ENO*, *TPI* (useful for expression in *Saccharomyces*); *AOX1* (useful for expression in *Pichia*); and *lac*, *ara*, *tet*, *trp*, IP_L, IP_R, *T7*, *tac*, and *trc* (useful for expression in *Escherichia coli*) as well as the *amy*, *apr*, *npr* promoters and various phage promoters useful for expression in *Bacillus*.

Termination control regions may also be derived from various genes native to the preferred hosts. Optionally, a termination site may be unnecessary, however, it is most preferred if included.

Similarly methods of making the present mutations are common and well known in the art and any suitable method may be employed. For example, where sequence of the gene to be mutated is known, one of the most effective methods gene down regulation is targeted gene disruption where foreign DNA is inserted into a structural gene so as to disrupt transcription. This can be effected by the creation of genetic cassettes comprising the DNA to be inserted (often a genetic marker) flanked by sequence having a high degree of homology to a portion of the gene to be disrupted. Introduction of the cassette into the host cell results in insertion of the foreign DNA into the structural gene via the native DNA replication mechanisms of the cell. (See for example Hamilton et al., *J. Bacteriol.*, 171:4617-4622 (1989), Balbas et al., *Gene*, 136:211-213 (1993), Gueldener et al., *Nucleic Acids Res.*, 24:2519-2524 (1996), and Smith et al., *Methods Mol. Cell. Biol.*, 5:270-277 (1996)).

Antisense technology is another method of down regulating genes where the sequence of the target gene is known. To accomplish this, a nucleic acid segment from the desired gene is cloned and operably linked to a promoter such that the anti-sense strand of RNA will be transcribed. This construct is then introduced into the host cell and the antisense strand of RNA

is produced. Antisense RNA inhibits gene expression by preventing the accumulation of mRNA which encodes the protein of interest. The person skilled in the art will know that special considerations are associated with the use of antisense technologies in order to reduce expression of particular genes. For example, the proper level of expression of antisense genes may require the use of different chimeric genes utilizing different regulatory elements known to the skilled artisan.

Although targeted gene disruption and antisense technology offer effective means of down regulating genes where the sequence is known, other less specific methodologies have been developed that are not sequence based. For example, cells may be exposed to a UV radiation and then screened for the desired phenotype. Mutagenesis with chemical agents is also effective for generating mutants and commonly used substances include chemicals that affect non-replicating DNA such as HNO_2 and NH_2OH, as well as agents that affect replicating DNA such as acridine dyes, notable for causing frameshift mutations. Specific methods for creating mutants using radiation or chemical agents are well documented in the art. See for example Thomas D. Brock in Biotechnology: A Textbook of Industrial Microbiology, Second Edition (1989) Sinauer Associates, Inc., Sunderland, MA., or Deshpande, Mukund V., *Appl. Biochem. Biotechnol.*, 36, 227, (1992).

Another non-specific method of gene disruption is the use of transposable elements or transposons. Transposons are genetic elements that insert randomly in DNA but can be latter retrieved on the basis of sequence to determine where the insertion has occurred. Both *in vivo* and *in vitro* transposition methods are known. Both methods involve the use of a transposable element in combination with a transposase enzyme. When the transposable element or transposon, is contacted with a nucleic acid fragment in the presence of the transposase, the transposable element will randomly insert into the nucleic acid fragment. The technique is useful for random mutagenesis and for gene isolation, since the disrupted gene may be identified on the basis of the sequence of the transposable element. Kits for *in vitro* transposition are commercially available (see for example The Primer Island Transposition Kit, available from Perkin Elmer Applied Biosystems, Branchburg, NJ, based upon the yeast Ty1 element; The Genome Priming System, available from New England Biolabs, Beverly, MA; based upon the bacterial transposon Tn7; and the EZ::TN Transposon Insertion Systems, available from Epicentre Technologies, Madison, WI, based upon the Tn5 bacterial transposable element).

In the context of the present invention, random mutagenesis was performed using EZ:TN™ <KAN-2>Tnp Transposome™ kit (Epicentre Technologies, Madison, WI). Eight chromosomal mutations were isolated that increased β-carotene production in *E. coli*. These included Tn5 insertions in three non-essential genes (*deaD*, *mreC*, *hsc*B) that likely disrupted their functions, and Tn5 insertions in the carboxyl end of five essential genes (*thrS*, *rpsA*, *rpoC*, *yjeR*, *rhoL*) that likely altered their functions.

Carotenoid Production

The mutations described by the present invention are in housekeeping genes. Since transcription, translation and protein biosynthetic apparatus is the same irrespective of the microorganisms and the feedstock, these mutations are likely to have similar effect in many host strains that can be used for carotenoid production including, but are not limited to, fungal or yeast species such as *Aspergillus, Trichoderma, Saccharomyces, Pichia, Candida, Hansenula,* or bacterial species such as *Salmonella, Bacillus, Acinetobacter, Zymomonas, Agrobacterium, Erythrobacter Chlorobium, Chromatium, Flavobacterium, Cytophaga, Rhodobacter, Rhodococcus, Streptomyces, Brevibacterium, Corynebacteria, Mycobacterium, Deinococcus, Escherichia, Erwinia, Pantoea, Pseudomonas, Sphingomonas, Methylomonas, Methylobacter, Methylococcus, Methylosinus, Methylomicrobium, Methylocystis, Methylobacterium, Alcaligenes, Synechocystis, Synechococcus, Anabaena, Thiobacillus, Methanobacterium, Klebsiella, Myxococcus*, and *Staphylococcus.*

Large-scale microbial growth may utilize a fermentable carbon substrate covering a wide range of simple or complex carbohydrates, organic acids and alcohols, and/or saturated hydrocarbons such as methane or carbon dioxide in the case of photosynthetic or chemoautotrophic hosts. Carotenoids produced in the hosts include, but not limited to, antheraxanthin, adonixanthin, astaxanthin, canthaxanthin, capsorubrin,β-cryptoxanthin, didehydrolycopene, didehydrolycopene, β-carotene, ζ–carotene, δ–carotene, γ–carotene, keto–γ–carotene, ψ–carotene, ε–carotene, β,ψ–carotene, torulene, echinenone, gamma-carotene, zeta-carotene, alpha-cryptoxanthin, diatoxanthin, 7,8-didehydroastaxanthin, fucoxanthin, fucoxanthinol, isorenieratene, β-isorenieratene, lactucaxanthin, lutein, lycopene, neoxanthin, neurosporene, hydroxyneurosporene, peridinin, phytoene, rhodopin, rhodopin glucoside, siphonaxanthin, spheroidene, spheroidenone, spirilloxanthin,

uriolide, uriolide acetate, violaxanthin, zeaxanthin-β-diglucoside, zeaxanthin, and C30-carotenoids.

Description of the Preferred Embodiments

Using random transposon mutagenesis, several mutations to non-isoprenoid/carotenoid biosynthetic pathway genes have been discovered. These mutations serve to increase production of β-carotene in an *E. coli* strain harboring a reporter plasmid expressing genes involved in carotenoid biosynthesis.

In one embodiment, the *Pantoea stewartii* (ATCC No. 8199) *crtEXYIB* gene cluster was cloned into a vector, creating reporter plasmid pPCB15 (Examples 1 and 3; Figure 5; SEQ ID NO. 43). Identification of the individual genes was verified by sequence analysis (Example 2, Table 4). Plasmid pPCB15 was transformed into *E. coli* MG 1655, creating a strain capable of β-carotene production. The level of β-carotene production in *E. coli* MG 1655 (pPCB15) was used as the control.

In another embodiment, chrosomomal transposon mutagenesis was done on the *E. coli* strain containing pPCB15 (Example 3; Figure 2). Resulting strains that developed a deeper yellow color in comparison to the control strain were selected and analyzed (Example 4; Figures 2 and 3). Three mutant strains (Y1, Y8, and Y12) exhibited a 2.5-3.5 fold increase in production of β-carotene while mutants Y4, Y15, Y16, Y17, and Y21 showed a 1.5-2.0 fold increase.

In another embodiment, the transposon insertion sites on the *E. coli* chromosome were mapped and confirmed using PCR fragment analysis (Examples 5 and 6, Table 5, Figure 4). In a preferred embodiment, the identified mutant genes containing a Tn5 insertion are selected from the group consisting of *thrS* (SEQ ID NO. 35), *deaD* (SEQ ID NO. 36), *rpsA* (SEQ ID NO. 37), *rpoC* (SEQ ID NO. 38), *yjeR* (SEQ ID NO: 39), *mreC* (SEQ ID NO. 40), *rhoL* (SEQ ID NO. 41), and *hscB(yfhE)* (SEQ ID NO. 42).

In another embodiment, a mutated gene selected from one of SEQ ID NOs: 35-42 is engineered into a carotenoid producing microorganism (one naturally possessing the isoprenoid/carotenoid pathway or one that had the pathway engineered by recombinant technology) to increase carotenoid production. In a preferred embodiment, two or more of the mutant genes are incorporated into a carotenoid producing microorganism to optimize carotenoid production. In a more preferred embodiment, the carotenoid producing microorganism is a recombinantly modified *E. coli* strain.

Several strains of *E. coli* capable of increased carotenoid production have been created. Mutations to genes not considered part of either the isoprenoid or carotenoid biosynthetic pathways were created, mapped, and sequenced. These novel mutant sequences can be used alone or in combination with others to create strains of *E. coli* exhibiting enhanced carotenoid production.

EXAMPLES

The present invention is further defined in the following Examples. It should be understood that these Examples, while indicating preferred embodiments of the invention, are given by way of illustration only. From the above discussion and these Examples, one skilled in the art can ascertain the essential characteristics of this invention, and without departing from the spirit and scope thereof, can make various changes and modifications of the invention to adapt it to various usages and conditions.

GENERAL METHODS

Standard recombinant DNA and molecular cloning techniques used in the Examples are well known in the art and are described by Sambrook, J., Fritsch, E. F. and Maniatis, T. *Molecular Cloning: A Laboratory Manual*; Cold Spring Harbor Laboratory Press: Cold Spring Harbor, (1989) (Maniatis) and by T. J. Silhavy, M. L. Bennan, and L. W. Enquist, Experiments with Gene Fusions, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1984) and by Ausubel, F. M. et al., Current Protocols in Molecular Biology, pub. by Greene Publishing Assoc. and Wiley-Interscience (1987).

Materials and methods suitable for the maintenance and growth of bacterial cultures are well known in the art. Techniques suitable for use in the following examples may be found as set out in Manual of Methods for General Bacteriology (Phillipp Gerhardt, R. G. E. Murray, Ralph N. Costilow, Eugene W. Nester, Willis A. Wood, Noel R. Krieg and G. Briggs Phillips, eds), American Society for Microbiology, Washington, DC. (1994)) or by Thomas D. Brock in Biotechnology: A Textbook of Industrial Microbiology, Second Edition, Sinauer Associates, Inc., Sunderland, MA (1989). All reagents, restriction enzymes, and materials used for the growth and maintenance of bacterial cells were obtained from Aldrich Chemicals (Milwaukee, WI), DIFCO Laboratories (Detroit, MI), GIBCO/BRL (Gaithersburg, MD), or Sigma Chemical Company (St. Louis, MO) unless otherwise specified.

Manipulations of genetic sequences were accomplished using the suite of programs available from the Genetics Computer Group Inc. (Wisconsin Package Version 9.0, Genetics Computer Group (GCG), Madison, WI).

Where the GCG program "Pileup" was used the gap creation default value of 12, and the gap extension default value of 4 were used. Where the CGC "Gap" or "Bestfit" programs were used the default gap creation penalty of 50 and the default gap extension penalty of 3 were used. Multiple alignments were created using the FASTA program incorporating the Smith-Waterman algorithm (W. R. Pearson, *Comput. Methods Genome Res.*, [Proc. Int. Symp.] (1994), Meeting Date 1992, 111-20. Editor(s): Suhai, Sandor. Publisher: Plenum, New York, NY). In any case where program parameters were not prompted for, in these or any other programs, default values were used.

The meaning of abbreviations is as follows: "h" means hour(s), "min" means minute(s), "sec" means second(s), "d" means day(s), "μL" mean microliters, "mL" means milliliters, and "L" means liters.

EXAMPLE 1

Cloning of β-Carotene Production Genes from *Pantoea stewartii*

Primers were designed using the sequence from *Erwinia uredovora* to amplify a fragment by PCR containing the *crt* genes. These sequences included 5'-3':

ATGACGGTCTGCGCAAAAAAACACG	SEQ ID 13
GAGAAATTATGTTGTGGATTTGGAATGC	SEQ ID 14

Chromosomal DNA was purified from *Pantoea stewartii* (ATCC no. 8199) and *Pfu* Turbo polymerase (Stratagene, La Jolla, CA) was used in a PCR amplifcation reaction under the following conditions: 94°C, 5 min; 94°C (1 min)-60°C (1 min)-72°C (10 min) for 25 cycles, and 72°C for 10 min. A single product of approximately 6.5 kb was observed following gel electrophoresis. *Taq* polymerase (Perkin Elmer, Foster City, CA) was used in a ten minute 72°C reaction to add additional 3' adenosine nucleotides to the fragment for TOPO cloning into pCR4-TOPO (Invitrogen, Carlsbad, CA) to create the plasmid pPCB13. Following transformation to *E. coli* DH5α (Life Technologies, Rockville, MD) by electroporation, several colonies appeared to be bright yellow in color indicating that they were producing a carotenoid compound. Following plasmid isolation as instructed by the manufacturer using the Qiagen (Valencia, CA) miniprep kit, the plasmid containing the 6.5 kb amplified fragment was transposed with pGPS1.1 using the GPS-1 Genome Priming System kit (New England Biolabs, Inc., Beverly, MA). A number of these transposed plasmids were sequenced from each end of the

transposon. Sequence was generated on an ABI Automatic sequencer using dye terminator technology (US 5366860; EP 272007) using transposon specific primers. Sequence assembly was performed with the Sequencher program (Gene Codes Corp., Ann Arbor, MI).

EXAMPLE 2

Identification and Characterization of *Pantoea stewartii* Genes

Genes encoding *crtE, X, Y, I, B*, and *Z* cloned from *Pantoea stewartii* were identified by conducting BLAST (Basic Local Alignment Search Tool; Altschul, S. F., et al., *J. Mol. Biol.* 215:403-410 (1993)searches for similarity to sequences contained in the BLAST "nr" database (comprising all non-redundant GenBank® CDS translations, sequences derived from the 3-dimensional structure Brookhaven Protein Data Bank, the SWISS-PROT protein sequence database, EMBL, and DDBJ databases). The sequences obtained were analyzed for similarity to all publicly available DNA sequences contained in the "nr" database using the BLASTN algorithm provided by the National Center for Biotechnology Information (NCBI). The DNA sequences were translated in all reading frames and compared for similarity to all publicly available protein sequences contained in the "nr" database using the BLASTX algorithm (Gish, W. and States, D. J., *Nature Genetics*, 3:266-272 (1993)) provided by the NCBI.

All comparisons were done using either the BLASTNnr or BLASTXnr algorithm. The results of the BLAST comparison is given in Table 4 which summarize the sequences to which they have the most similarity. Table 4 displays data based on the BLASTXnr algorithm with values reported in expect values. The Expect value estimates the statistical significance of the match, specifying the number of matches, with a given score, that are expected in a search of a database of this size absolutely by chance.

TABLE 4

ORF Name	Gene Name	Similarity Identified	SEQ ID base	SEQ ID Peptide	% Identity[a]	% Similarity[b]	E-value[c]	Citation
1	crtE	Geranylgeranyl pryophosphate synthetase (or GGPP synthetase, or farnesyltranstransferase) EC 2.5.1.29 gi|117509|sp|P21684|CRTE_PANAN GERANYLGERANYL PYROPHOSPHATE SYNTHETASE (GGPP SYNTHETASE) (FARNESYLTRANSTRANSFERASE)	1	2	83	88	e-137	Misawa et al., *J. Bacteriol.* 172 (12), 6704-6712 (1990)
2	crtX	Zeaxanthin glucosyl transferase EC 2.4.1.- gi|1073294|pir||S52583 crtX protein - *Erwinia herbicola*	3	4	75	79	0.0	Lin et al., *Mol. Gen. Genet.* 245 (4), 417-423 (1994)
3	crtY	Lycopene cyclase gi|1073295|pir||S52585 lycopene cyclase - *Erwinia herbicola*	5	6	83	91	0.0	Lin et al., *Mol. Gen. Genet.* 245 (4), 417-423 (1994)
4	crtI	Phytoene desaturaseEC 1.3.-.- gi|1073299|pir||S52586 phytoene dehydrogenase (EC 1.3.-.-) - *Erwinia herbicola*	7	8	89	91	0.0	Lin et al., *Mol. Gen. Genet.* 245 (4), 417-423 (1994)

5	crtB	Phytoene synthaseEC2.5.1.- gi|1073300|pir||S52587 prephytoene pyrophosphate synthase - *Erwinia herbicola*	9	10	88	92	e-150	Lin et al., *Mol. Gen. Genet.* 245 (4), 417-423 (1994)
6	crtZ	Beta-carotene hydroxylase gi|117526|sp|P21688|CRTZ_PANAN BETA-CAROTENE HYDROXYLASE	11	12	88	91	3e-88	Misawa et al., *J. Bacteriol.* 172 (12), 6704-6712 (1990)

[a]%Identity is defined as percentage of amino acids that are identical between the two proteins.
[b]% Similarity is defined as percentage of amino acids that are identical or conserved between the two proteins.
[c]Expect value. The Expect value estimates the statistical significance of the match, specifying the number of matches, with a given score, thatare expected in a search of a database of this size absolutely by chance.

EXAMPLE 3

Isolation of Chromosomal Mutations that Increase Carotenoid Production

Wild type *E. coli* is non-carotenogenic and synthesizes only the farnesyl pyrophosphate precursor for carotenoids. When the *crtEXYIB* gene cluster from *Pantoea stewartii* was introduced into *E.coli*, β-carotene was synthesized and the cells exhibit a yellow color characteristic of β-carotene. *E. coli* chromosomal mutations which increase carotenoid production should result in colonies that are more intensely pigmented or show deeper yellow in color (Figure 2).

The plasmid pPCB15 (cam^R)(SEQ ID NO. 43) encodes the carotenoid biosynthesis gene cluster (*crtEXYIB*) from *Pantoea Stewartii* (ATCC no. 8199). The pPCB15 plasmid was constructed from ligation of *Sma*I digested pSU18 (Bartolome et al., *Gene*, 102:75-78 (1991)) vector with a blunt-ended *PmeI/NotI* fragment carrying *crtEXYIB* from pPCB13 (Example 1). *E. coli* MG1655 transformed with pPCB15 was used for transposon mutagenesis. Mutagenesis was performed using EZ:TN™ <KAN-2>Tnp Transposome™ kit (Epicentre Technologies, Madison, WI) according to manufacture's instructions. A 1 μL volume of the transposome was electroporated into 50 μL of highly electro-competent MG1655(pPCB15) cells. The mutant cells were spread onto LB-Noble Agar (Difco laboratories, Detroit, MI) plates with 25 μg/mL kanamycin and 25 μg/mL chloramphenicol, and grown at 37°C overnight. Tens of thousands of mutant colonies were visually examined for production of increased levels of β-carotene as evaluated by deeper yellow color development. The candidate mutants were re-streaked to fresh LB-Noble agar plates and glycerol frozen stocks made for further characterization.

EXAMPLE 4

Quantitation of Carotenoid Production

To confirm that the mutants selected for increased production β-carotene by visually screening for deeper yellow colonies in Example 3 indeed produced more β-carotene, the carotenoids were extracted from cultures grown from each mutant strain and quantified spectrophotometrically. Each candidate mutant strain was cultured in 10 mL LB medium with 25 μg/mL chloramphenicol in 50 mL flasks overnight shaking at 250 rpm. MG1655(pPCB15) was used as the control. Carotenoids were extracted from each cell pellet for 15 min into 1 mL acetone, and the amount of β-carotene produced was measured at 455 nm. Cell density was measured at 600 nm. The ratio OD455/OD600 was used to normalize β-carotene production for

different cultures. β-carotene production was also verified by HPLC. Among all the mutant clones tested, eight showed increased β-carotene production. The averages of three independent measurements with standard deviations were calculated and are indicated in Figure 3. Mutants Y1, Y8 and Y12 showed 2.5-3.5 fold increase in production of β-carotene. Mutants Y4, Y15, Y16, Y17 and Y21 showed 1.5-2 fold increase in production of β-carotene.

EXAMPLE 5

Mapping of the Transposon Insertions on the *E. coli* Chromosome

The transposon insertion site in each mutant was identified by PCR and sequencing directly from chromosomal DNA of the mutant strains. A modified single-primer PCR method (Karlyshev et al., *BioTechniques*, 28:1078-82, 2000) was used. For this method, a 100 μL volume of overnight culture was heated at 99°C for 10 min in a PCR machine. Cell debris was removed by centrifugation at 4000 g for 10 min. A 1 μL volume of supernatant was used in a 50 μL PCR reaction using either Tn5PCRF (5'-GCTGAGTTGAAGGATCAGATC-3';SEQ ID NO:15) or Tn5PCRR (5'-CGAGCAAGACGTTTCCCGTTG-3';SEQ ID NO:16) primer. PCR was carried out as follows: 5 min at 95°C; 20 cycles of 92°C for 30 sec, 60°C for 30 sec, 72°C for 3 min; 30 cycles of 92°C for 30 sec, 40°C for 30 sec, 72°C for 2 min; 30 cycles of 92°C for 30 sec, 60°C for 30 sec, 72°C for 2 min. A 10 μL volume of each PCR product was electrophoresed on an agarose gel to evaluate product length. A 40 μL volume of each PCR product was purified using the Qiagen PCR cleanup kit, and sequenced using sequencing primers Kan-2 FP-1 (5'-ACCTACAACAAAGCTCTCATCAACC-3';SEQ ID NO:17) or Kan-2 RP-1 (5'-GCAATGTAACATCAGAGATTTTGAG-3';SEQ ID NO:18) provided by the EZ:TN™ <KAN-2>Tnp Transposome™ kit. The chromosomal insertion site of the transposon was identified as the junction between the Tn5 transposon and MG1655 chromosome DNA by aligning the sequence obtained from each mutant with the *E. coli* genomic sequence of MG1655 (GenBank® Accession number U00096). Table 5 summarizes the chromosomal insertion sites of the mutants that showed increased carotenoid production. The numbers refer to the standard base pair (bp) numbers in the *E. coli* genome. The majority of the harboring transposons are involved in transcription, translation or RNA stability. Five of the insertion sites (*thrS, rpsA, rpoC, yjeR,* and *rhoL*) were previously reported to be essential for viability of the *E. coli* cell. The transposon insertions we obtained in these five genes (*thrS, rpsA, rpoC , yjeR,* and *rhoL*) were located very close to the carboxyl terminal end of the gene and most likely resulted in functional

although truncated proteins. The genes affected in another set of five mutants (*thrS, rpoC, mreC, rhoL,* and *hscB*) were part of demonstrated or predicted operons. Figure 4 shows the neighborhood organization of the genes containing the transposon insertions.

Table 5

Localization of the transposon insertions in *E. coli* chromosome

Mutant	Transposon Insertion Site	Gene disrupted	Function	Operon	Essential gene	Reference
Y1	1798679	*thrS*: 1798666-1800594	threonyl-tRNA synthetase	thrS-infC-rpmI-rplT	Yes	Johnson EJ, 1977 *J Bacteriol* 129:66-70
Y4	3304788	*deaD*: 3303612-3305552	RNA helicase		No	Toone WM, 1991 *J Bacteriol* 173:3291-302
Y8	962815	*rpsA*: 961218-962891	30S ribosomal subunit protein S1		Yes	Kitakawa M, 1982 *Mol Gen Genet* 185:445-7
Y12	4187062	*rpoC*: 4182928-4187151	RNA polymerase β' subunit	rpoB-rpoC	Yes	Post,L.E, 1979 *Proc Natl Acad Sci USA.* 76:1697-1701
Y15	4389704	*yjeR*: 4389113-4389727	oligo-ribonuclease		Yes	Ghosh S, 1999 *Proc Natl Acad Sci USA.* 96:4372-7.
Y16	3396592	*mreC*: 3396512-3397615	rod shape-determining protein	mreB-mreC-mreD	No	Wachi M, 1987 *J Bacteriol* 169:4935-40
Y17	3963892	*rhoL*: 3963846-3963947	rho operon leader peptide	rhoL-rho	Yes	Das A, 1976 *Proc Natl Acad Sci USA.* 73:1959-63
Y21	2657233	*yfhE* (*hscB*): 2656972-2657487	heat shock cognate protein	hscB-hscA-fdx-yfhJ	Unknown	Takahashi Y, 1999 *J Biochem* (Tokyo)126:917-26

EXAMPLE 6

Confirmation of Transposon Insertions in *E. coli* Chromosome

To confirm the transposon insertion sites in Example 5, chromosome specific primers were designed 400-800 bp upstream and downstream from the transposon insertion site for each mutant. The list of the primer sequences is summarized in Table 6. Three sets of PCR reactions were performed for each mutant. The first set (named as PCR 1) uses a chromosome specific upstream primer paired with a chromosome specific downstream primer. The second set (PCR 2) uses a chromosome specific upstream primer paired with a transposon specific primer (either Kan-2 FP-1 or Kan-2 RP-1, depending on the orientation of the transposon in the chromosome). The third set (PCR 3) uses a chromosome specific downstream primer paired with a transposon specific primer. PCR conditions are: 5 min at 95°C; 30 cycles of 92°C for 30 sec, 55°C for 30 sec, 72°C for 1 min; then 5 min at 72°C. Wild type MG1655(pPCB15) cells served as control cells. For the control cells, the expected wild type bands were detected in PCR1, and no mutant band was detected in PCR2 or PCR3. For all the eight mutants, no wild type bands were detected in PCR1, and the expected mutant bands were detected in both PCR2 and PCR3. The size of the products in PCR2 and PCR3 correlated well with the insertion sites in each specific gene. Therefore, the mutants contained the transposon insertions as mapped in Table 5. They were most likely responsible for the phenotype of increased carotenoid production in each of the mutants.

TABLE 6

List of chromosome specific primers used for mutant confirmation

Primer	Sequence	SEQ ID NO
Y1_F	5'-agcaccatgatcatctggcg-3'	19
Y1_R	5'-cggttgcgctggaagaaaac-3'	20
Y4_F	5'-caccctgtgccattttcagc-3'	21
Y4_R	5'-cgttctgggtatggcccaga-3'	22
Y8_1_F	5'-aaagctaacccgtggcagca-3'	23
Y8_1_R	5'-tttgcgttccccgaggcata-3'	24
Y12_F	5'-ttccgaaatggcgtcagctc-3'	25
Y12_R	5'-atctctacattgattatgagtattc-3'	26
Y15_F	5'-ggatcgatcttgagatgacc-3'	27
Y15_R	5'-gctttcgtaattttcgcatttctg-3'	28

Y16_F	5'-cacgccaagttgcgcaagta-3'	29
Y16_R	5'-gcagaaaatggtgactcagg-3'	30
Y17_F	5'-ggcgatcctcgtcgatttct-3'	31
Y17_R	5'-acgcagacgagagtttgcgt-3'	32
Y21_F	5'-accgaatgcccttgctgttg-3'	33
Y21_R	5'-gggtgttcaggtatggctta-3'	34

CLAIMS

What is claimed is:

1. A carotenoid overproducing microorganism comprising the genes encoding a functional isoprenoid enzymatic biosynthetic pathway comprising a disrupted gene selected from the group consisting of *deaD*, *mreC*, and *yfhE*.

2. The carotenoid overproducing microorganism of Claim 1 wherein the isoprenoid enzymatic biosynthetic pathway comprises:

a) an upper isoprenoid enzymatic biosynthetic pathway comprising the genes *dxs, dxr, ygbP, ychB, ygbB, lytB, idi, ispA,* and *ispB;* and

b) a lower isoprenoid enzymatic biosynthetic pathway comprising the genes *crtE, crtB, crtI,* and *crtY.*

3. The carotenoid overproducing microorganism of Claim 2 wherein the lower pathway optionally comprises genes selected from the group consisting of *crtZ* and *crtW*

4. The carotenoid overproducing microorganism of any of Claims 1 –3 or wherein the microorganism is selected from the group consisting of bacteria, yeasts and filamentous fungi.

5. The carotenoid overproducing microorganism of Claim 4 wherein the microorganism is selected from the group consisting *Aspergillus, Trichoderma, Saccharomyces, Pichia, Candida, Hansenula, Salmonella, Bacillus, Acinetobacter, Zymomonas, Agrobacterium, Erythrobacter, Chlorobium, Chromatium, Flavobacterium, Cytophaga, Rhodobacter, Rhodococcus, Streptomyces, Brevibacterium, Corynebacteria, Mycobacterium, Deinococcus, Paracoccus, Escherichia, Erwinia, Pantoea, Pseudomonas, Sphingomonas, Methylomonas, Methylobacter, Methylococcus, Methylosinus, Methylomicrobium, Methylocystis, Alcaligenes, Synechocystis, Synechococcus, Anabaena, Thiobacillus, Staphylococcus Methanobacterium, Klebsiella*, and *Myxococcus.*

6. The carotenoid overproducing microorganism of Claim 5 wherein the microorganism is *E. coli*.

7. The carotenoid overproducing microorganism of either of Claims 2 or 3 wherein the lower pathway genes reside on an autonomously replicating plasmid.

8. The carotenoid overproducing microorganism of Claim 7 wherein the autonomously replicating plasmid comprises a replicon selected from the group consisting of p15A and pMB1.

9. The carotenoid overproducing microorganism of either of Claims 2 or 3 wherein the lower pathway genes are chromosomally integrated.

10. A carotenoid overproducing microorganism according to Claim 1 wherein the microorganism is *E. coli* and wherein the disrupted *deaD* gene has the sequence as set forth in SEQ ID NO: 36, the disrupted *mreC* gene has the sequence as set forth in SEQ ID NO: 40 and the disrupted *yfhE* has the sequence as set forth in SEQ ID NO: 42.

11. The carotenoid overproducing microorganism according to claim 10 optionally comprising mutations selected from the group consisting of: a mutation in the *thrS* gene as set forth in SEQ ID NO: 35, a mutation in the *rpsA* gene as set forth in SEQ ID NO: 37, a mutation in the *rpoC* gene as set forth in SEQ ID NO: 38, a mutation in the *yjeR* gene as set forth in SEQ ID NO: 39, and a mutation in the *rhoL* gene as set forth in SEQ ID NO: 41.

12. A carotenoid overproducing *E. coli* comprising:

a) an upper isoprenoid enzymatic biosynthetic pathway comprising the genes *dxs, dxr ygbP, ychB, ygbB, lytB, idi, ispA,* and *ispB;*

b) a lower isoprenoid enzymatic biosynthetic pathway comprising the genes *crtE, crtB, crtI,* and *crtY;*

c) mutations selected from the group consisting of: a mutation in the *thrS* gene as set forth in SEQ ID NO: 35, a mutation in the *rpsA* gene as set forth in SEQ ID NO: 37, a mutation in the *rpoC* gene as set forth in SEQ ID NO: 38, a mutation in the *yjeR* gene as set forth in SEQ ID NO: 39, and a mutation in the *rhoL* gene as set forth in SEQ ID NO: 41;

wherein the genes of the lower isoprenoid enzymatic biosynthetic pathway reside on an autonomously replicating plasmid comprising a replicon selected from the group consisting of p15A and pMB1.

13. The carotenoid overproducing *E. coli* of Claim 12 wherein the lower pathway optionally comprises genes selected from the group consisting of *crtZ* and *crtW*.

14. A method for the production of a carotenoid comprising:

a) contacting the carotenoid overproducing microorganism of any of Claims 1-3 with a fermentable carbon substrate;

b) growing the carotenoid overproducing microorganism of step (a) for a time sufficient to produce a carotenoid; and

c) optionally recovering the carotenoid form the carotenoid overproducing microorganism of step (b).

15. A method for the production of a carotenoid comprising:

a) contacting the carotenoid overproducing *E. coli* of Claim 12 with a fermentable carbon substrate;

b) growing the carotenoid overproducing *E. coli* of step (a) for a time sufficient to produce a carotenoid; and

c) optionally recovering the carotenoid form the carotenoid overproducing microorganism of step (b).

16. A method according to either Claim 14 or 15 wherein the carotenoid is selected from the group consisting of antheraxanthin, adonixanthin, astaxanthin, canthaxanthin, capsorubrin,β-cryptoxanthin, didehydrolycopene, didehydrolycopene, β-carotene, ζ–carotene, δ–carotene, γ–carotene, keto–γ–carotene, ψ–carotene, ε–carotene, β,ψ–carotene, torulene, echinenone, gamma-carotene, zeta-carotene, alpha-cryptoxanthin, diatoxanthin, 7,8-didehydroastaxanthin, fucoxanthin, fucoxanthinol, isorenieratene, β-isorenieratene, lactucaxanthin, lutein, lycopene, neoxanthin, neurosporene, hydroxyneurosporene, peridinin, phytoene, rhodopin, rhodopin glucoside, siphonaxanthin, spheroidene, spheroidenone, spirilloxanthin, uriolide, uriolide acetate, violaxanthin, zeaxanthin-β-diglucoside, zeaxanthin, and C30-carotenoids.

Figure 1


Isoprenoid Pathway in E. coli
E. coli isoprenoid biosynthetic pathway
Pantoea stewartii crt genes on reporter plasmid
Pyruvate + G3P
dxs
dxr
ygbP
ychB
ygbB
lytB
IPP (C5)
idi
DMAPP (C5)
IspA
GPP (C10)
IspA
FPP (C15)
crtE
GGPP (C20)
crtB
Phytoene
crtI
Lycopene
crtY
β-carotene


Tn5
Cm^r
pPCB15
ctuXYIB
Deeper yellow
Mutagenesis
Cm^r
pPCB15
ctuXYIB
Yellow

Figure 2


β-carotene Quantitation
Relative pigment yield
0
100
200
300
400
Control
Y1
Y4
Y8
Y12
Y15
Y16
Y17
Y21
Strain

Figure 3

Figure 4


Y1
Tn5
rplT rpmI infC thrS b1720 b1721
infC: 1798120..1798662
thrS: 1798666..1800594
Tn5: 1798679
Y4
Tn5
yhbW mtr deaD yhbM pnp rpsO
deaD: 3303612...3305552
Tn5: 3304788
Y8
Tn5
aroA ycaL cmk rpsA himD ycaI msbA ycaH
rpsA: 961218..962891
Tn5: 962815
Y12
Tn5
rplL rpoB rpoC htrC thiH thiG
rpoC: 4182928..4187151
Tn5: 4187062
Y15
Tn5
psd yjeQ yjeR yjeS yjeF
yjeR: 4389113..4389727
Tn5: 4389704
Y16
Tn5
cafA yhdE mreD mreC mreB yhdA yhdH
mreC: 3396512..3397615
Tn5: 3396592
Y17
Tn5
gppA rhlB trxA rhoL rho rfe wzzE
rhoL: 3963846..3963947
Tn5: 3963892
Y21
Tn5
sseB pepB yfhJ fdx hscA yfhE yfhF b2529 yfhO
yfhE: 2656972..2657487
Tn5: 2657233

Figure 5


CamR
ColE1
crtB
pPCB15
8609 bp
crtE
crtI
SmaI (5663)
crtX
SmaI (3392)
crtY

CL-2028PCT.ST25.txt
SEQUENCE LISTING

<110> E. I. duPont de Nemours and Company, Inc.

<120> Mutations Affecting Carotenoid Production

<130> CL-2028 PCT

<150> US 60/435612
<151> 2002-12-19

<160> 43

<170> PatentIn version 3.2

<210> 1
<211> 912
<212> DNA
<213> Pantoea stewartii

<220>
<221> misc_feature
<222> (1)..(3)
<223> Alternative start code usage of TTG instead of ATG.

<400> 1
ttgacggtct gcgcaaaaaa acacgttcac cttactggca tttcggctga gcagttgctg 60

gctgatatcg atagccgcct tgatcagtta ctgccggttc agggtgagcg ggattgtgtg 120

ggtgccgcga tgcgtgaagg cacgctggca ccgggcaaac gtattcgtcc gatgctgctg 180

ttattaacag cgcgcgatct tggctgtgcg atcagtcacg ggggattact ggatttagcc 240

tgcgcggttg aaatggtgca tgctgcctcg ctgattctgg atgatatgcc ctgcatggac 300

gatgcgcaga tgcgtcgggg gcgtcccacc attcacacgc agtacggtga acatgtggcg 360

attctggcgg cggtcgcttt actcagcaaa gcgtttgggg tgattgccga ggctgaaggt 420

ctgacgccga tagccaaaac tcgcgcggtg tcggagctgt ccactgcgat tggcatgcag 480

ggtctggttc agggccagtt taaggacctc tcggaaggcg ataaaccccg cagcgccgat 540

gccatactgc taaccaatca gtttaaaacc agcacgctgt tttgcgcgtc aacgcaaatg 600

gcgtccattg cggccaacgc gtcctgcgaa gcgcgtgaga acctgcatcg tttctcgctc 660

gatctcggcc aggcctttca gttgcttgac gatcttaccg atggcatgac cgataccggc 720

aaagacatca atcaggatgc aggtaaatca acgctggtca atttattagg ctcaggcgcg 780

gtcgaagaac gcctgcgaca gcatttgcgc ctggccagtg aacacctttc cgcggcatgc 840

caaaacggcc attccaccac ccaacttttt attcaggcct ggtttgacaa aaaactcgct 900

gccgtcagtt aa 912

<210> 2
<211> 303
<212> PRT
<213> Pantoea stewartii

<400> 2

Met Thr Val Cys Ala Lys Lys His Val His Leu Thr Gly Ile Ser Ala

```
1               5                  10                  15

Glu Gln Leu Leu Ala Asp Ile Asp Ser Arg Leu Asp Gln Leu Leu Pro
            20                  25                  30

Val Gln Gly Glu Arg Asp Cys Val Gly Ala Ala Met Arg Glu Gly Thr
        35                  40                  45

Leu Ala Pro Gly Lys Arg Ile Arg Pro Met Leu Leu Leu Leu Thr Ala
    50                  55                  60

Arg Asp Leu Gly Cys Ala Ile Ser His Gly Gly Leu Leu Asp Leu Ala
65                  70                  75                  80

Cys Ala Val Glu Met Val His Ala Ala Ser Leu Ile Leu Asp Asp Met
                85                  90                  95

Pro Cys Met Asp Asp Ala Gln Met Arg Arg Gly Arg Pro Thr Ile His
            100                 105                 110

Thr Gln Tyr Gly Glu His Val Ala Ile Leu Ala Ala Val Ala Leu Leu
        115                 120                 125

Ser Lys Ala Phe Gly Val Ile Ala Glu Ala Glu Gly Leu Thr Pro Ile
    130                 135                 140

Ala Lys Thr Arg Ala Val Ser Glu Leu Ser Thr Ala Ile Gly Met Gln
145                 150                 155                 160

Gly Leu Val Gln Gly Gln Phe Lys Asp Leu Ser Glu Gly Asp Lys Pro
                165                 170                 175

Arg Ser Ala Asp Ala Ile Leu Leu Thr Asn Gln Phe Lys Thr Ser Thr
            180                 185                 190

Leu Phe Cys Ala Ser Thr Gln Met Ala Ser Ile Ala Ala Asn Ala Ser
        195                 200                 205

Cys Glu Ala Arg Glu Asn Leu His Arg Phe Ser Leu Asp Leu Gly Gln
    210                 215                 220

Ala Phe Gln Leu Leu Asp Asp Leu Thr Asp Gly Met Thr Asp Thr Gly
225                 230                 235                 240

Lys Asp Ile Asn Gln Asp Ala Gly Lys Ser Thr Leu Val Asn Leu Leu
                245                 250                 255

Gly Ser Gly Ala Val Glu Glu Arg Leu Arg Gln His Leu Arg Leu Ala
            260                 265                 270

Ser Glu His Leu Ser Ala Ala Cys Gln Asn Gly His Ser Thr Thr Gln
```

275 280 285

Leu Phe Ile Gln Ala Trp Phe Asp Lys Lys Leu Ala Ala Val Ser
290 295 300

<210> 3
<211> 1296
<212> DNA
<213> Pantoea stewartii

<220>
<221> CDS
<222> (1)..(1296)

<400> 3

```
atg agc cat ttt gcg gtg atc gca ccg ccc ttt ttc agc cat gtt cgc       48
Met Ser His Phe Ala Val Ile Ala Pro Pro Phe Phe Ser His Val Arg
1               5                  10                  15

gct ctg caa aac ctt gct cag gaa tta gtg gcc cgc ggt cat cgt gtt       96
Ala Leu Gln Asn Leu Ala Gln Glu Leu Val Ala Arg Gly His Arg Val
            20                  25                  30

acg ttt ttt cag caa cat gac tgc aaa gcg ctg gta acg ggc agc gat      144
Thr Phe Phe Gln Gln His Asp Cys Lys Ala Leu Val Thr Gly Ser Asp
        35                  40                  45

atc gga ttc cag acc gtc gga ctg caa acg cat cct ccc ggt tcc tta      192
Ile Gly Phe Gln Thr Val Gly Leu Gln Thr His Pro Pro Gly Ser Leu
    50                  55                  60

tcg cac ctg ctg cac ctg gcc gcg cac cca ctc gga ccc tcg atg tta      240
Ser His Leu Leu His Leu Ala Ala His Pro Leu Gly Pro Ser Met Leu
65                  70                  75                  80

cga ctg atc aat gaa atg gca cgt acc agc gat atg ctt tgc cgg gaa      288
Arg Leu Ile Asn Glu Met Ala Arg Thr Ser Asp Met Leu Cys Arg Glu
                85                  90                  95

ctg ccc gcc gct ttt cat gcg ttg cag ata gag ggc gtg atc gtt gat      336
Leu Pro Ala Ala Phe His Ala Leu Gln Ile Glu Gly Val Ile Val Asp
            100                 105                 110

caa atg gag ccg gca ggt gca gta gtc gca gaa gcg tca ggt ctg ccg      384
Gln Met Glu Pro Ala Gly Ala Val Val Ala Glu Ala Ser Gly Leu Pro
        115                 120                 125

ttt gtt tcg gtg gcc tgc gcg ctg ccg ctc aac cgc gaa ccg ggt ttg      432
Phe Val Ser Val Ala Cys Ala Leu Pro Leu Asn Arg Glu Pro Gly Leu
    130                 135                 140

cct ctg gcg gtg atg cct ttc gag tac ggc acc agc gat gcg gct cgg      480
Pro Leu Ala Val Met Pro Phe Glu Tyr Gly Thr Ser Asp Ala Ala Arg
145                 150                 155                 160

gaa cgc tat acc acc agc gaa aaa att tat gac tgg ctg atg cga cgt      528
Glu Arg Tyr Thr Thr Ser Glu Lys Ile Tyr Asp Trp Leu Met Arg Arg
                165                 170                 175

cac gat cgt gtg atc gcg cat cat gca tgc aga atg ggt tta gcc ccg      576
His Asp Arg Val Ile Ala His His Ala Cys Arg Met Gly Leu Ala Pro
            180                 185                 190

cgt gaa aaa ctg cat cat tgt ttt tct cca ctg gca caa atc agc cag      624
Arg Glu Lys Leu His His Cys Phe Ser Pro Leu Ala Gln Ile Ser Gln
```

```
        195                 200                 205

ttg atc ccc gaa ctg gat ttt ccc cgc aaa gcg ctg cca gac tgc ttt      672
Leu Ile Pro Glu Leu Asp Phe Pro Arg Lys Ala Leu Pro Asp Cys Phe
    210                 215                 220

cat gcg gtt gga ccg tta cgg caa ccc cag ggg acg ccg ggg tca tca      720
His Ala Val Gly Pro Leu Arg Gln Pro Gln Gly Thr Pro Gly Ser Ser
225                 230                 235                 240

act tct tat ttt ccg tcc ccg gac aaa ccc cgt att ttt gcc tcg ctg      768
Thr Ser Tyr Phe Pro Ser Pro Asp Lys Pro Arg Ile Phe Ala Ser Leu
                245                 250                 255

ggc acc ctg cag gga cat cgt tat ggc ctg ttc agg acc atc gcc aaa      816
Gly Thr Leu Gln Gly His Arg Tyr Gly Leu Phe Arg Thr Ile Ala Lys
            260                 265                 270

gcc tgc gaa gag gtg gat gcg cag tta ctg ttg gca cac tgt ggc ggc      864
Ala Cys Glu Glu Val Asp Ala Gln Leu Leu Leu Ala His Cys Gly Gly
        275                 280                 285

ctc tca gcc acg cag gca ggt gaa ctg gcc cgg ggc ggg gac att cag      912
Leu Ser Ala Thr Gln Ala Gly Glu Leu Ala Arg Gly Gly Asp Ile Gln
    290                 295                 300

gtt gtg gat ttt gcc gat caa tcc gca gca ctt tca cag gca cag ttg      960
Val Val Asp Phe Ala Asp Gln Ser Ala Ala Leu Ser Gln Ala Gln Leu
305                 310                 315                 320

aca atc aca cat ggt ggg atg aat acg gta ctg gac gct att gct tcc     1008
Thr Ile Thr His Gly Gly Met Asn Thr Val Leu Asp Ala Ile Ala Ser
                325                 330                 335

cgc aca ccg cta ctg gcg ctg ccg ctg gca ttt gat caa cct ggc gtg     1056
Arg Thr Pro Leu Leu Ala Leu Pro Leu Ala Phe Asp Gln Pro Gly Val
            340                 345                 350

gca tca cga att gtt tat cat ggc atc ggc aag cgt gcg tct cgg ttt     1104
Ala Ser Arg Ile Val Tyr His Gly Ile Gly Lys Arg Ala Ser Arg Phe
        355                 360                 365

act acc agc cat gcg ctg gcg cgg cag att cga tcg ctg ctg act aac     1152
Thr Thr Ser His Ala Leu Ala Arg Gln Ile Arg Ser Leu Leu Thr Asn
    370                 375                 380

acc gat tac ccg cag cgt atg aca aaa att cag gcc gca ttg cgt ctg     1200
Thr Asp Tyr Pro Gln Arg Met Thr Lys Ile Gln Ala Ala Leu Arg Leu
385                 390                 395                 400

gca ggc ggc aca cca gcc gcc gcc gat att gtt gaa cag gcg atg cgg     1248
Ala Gly Gly Thr Pro Ala Ala Ala Asp Ile Val Glu Gln Ala Met Arg
                405                 410                 415

acc tgt cag cca gta ctc agt ggg cag gat tat gca acc gca cta tga     1296
Thr Cys Gln Pro Val Leu Ser Gly Gln Asp Tyr Ala Thr Ala Leu
            420                 425                 430
```

<210> 4
<211> 431
<212> PRT
<213> Pantoea stewartii

<400> 4

```
Met Ser His Phe Ala Val Ile Ala Pro Pro Phe Phe Ser His Val Arg
1               5                   10                  15
```

Ala Leu Gln Asn Leu Ala Gln Glu Leu Val Ala Arg Gly His Arg Val
20 25 30

Thr Phe Phe Gln Gln His Asp Cys Lys Ala Leu Val Thr Gly Ser Asp
35 40 45

Ile Gly Phe Gln Thr Val Gly Leu Gln Thr His Pro Pro Gly Ser Leu
50 55 60

Ser His Leu Leu His Leu Ala Ala His Pro Leu Gly Pro Ser Met Leu
65 70 75 80

Arg Leu Ile Asn Glu Met Ala Arg Thr Ser Asp Met Leu Cys Arg Glu
85 90 95

Leu Pro Ala Ala Phe His Ala Leu Gln Ile Glu Gly Val Ile Val Asp
100 105 110

Gln Met Glu Pro Ala Gly Ala Val Val Ala Glu Ala Ser Gly Leu Pro
115 120 125

Phe Val Ser Val Ala Cys Ala Leu Pro Leu Asn Arg Glu Pro Gly Leu
130 135 140

Pro Leu Ala Val Met Pro Phe Glu Tyr Gly Thr Ser Asp Ala Ala Arg
145 150 155 160

Glu Arg Tyr Thr Thr Ser Glu Lys Ile Tyr Asp Trp Leu Met Arg Arg
165 170 175

His Asp Arg Val Ile Ala His His Ala Cys Arg Met Gly Leu Ala Pro
180 185 190

Arg Glu Lys Leu His His Cys Phe Ser Pro Leu Ala Gln Ile Ser Gln
195 200 205

Leu Ile Pro Glu Leu Asp Phe Pro Arg Lys Ala Leu Pro Asp Cys Phe
210 215 220

His Ala Val Gly Pro Leu Arg Gln Pro Gln Gly Thr Pro Gly Ser Ser
225 230 235 240

Thr Ser Tyr Phe Pro Ser Pro Asp Lys Pro Arg Ile Phe Ala Ser Leu
245 250 255

Gly Thr Leu Gln Gly His Arg Tyr Gly Leu Phe Arg Thr Ile Ala Lys
260 265 270

Ala Cys Glu Glu Val Asp Ala Gln Leu Leu Leu Ala His Cys Gly Gly
275 280 285

Leu Ser Ala Thr Gln Ala Gly Glu Leu Ala Arg Gly Gly Asp Ile Gln
290 295 300

Val Val Asp Phe Ala Asp Gln Ser Ala Ala Leu Ser Gln Ala Gln Leu
305 310 315 320

Thr Ile Thr His Gly Gly Met Asn Thr Val Leu Asp Ala Ile Ala Ser
325 330 335

Arg Thr Pro Leu Leu Ala Leu Pro Leu Ala Phe Asp Gln Pro Gly Val
340 345 350

Ala Ser Arg Ile Val Tyr His Gly Ile Gly Lys Arg Ala Ser Arg Phe
355 360 365

Thr Thr Ser His Ala Leu Ala Arg Gln Ile Arg Ser Leu Leu Thr Asn
370 375 380

Thr Asp Tyr Pro Gln Arg Met Thr Lys Ile Gln Ala Ala Leu Arg Leu
385 390 395 400

Ala Gly Gly Thr Pro Ala Ala Ala Asp Ile Val Glu Gln Ala Met Arg
405 410 415

Thr Cys Gln Pro Val Leu Ser Gly Gln Asp Tyr Ala Thr Ala Leu
420 425 430

<210> 5
<211> 1149
<212> DNA
<213> Pantoea stewartii

<220>
<221> CDS
<222> (1)..(1149)

<400> 5
atg caa ccg cac tat gat ctc att ctg gtc ggt gcc ggt ctg gct aat 48
Met Gln Pro His Tyr Asp Leu Ile Leu Val Gly Ala Gly Leu Ala Asn
1 5 10 15

ggc ctt atc gcg ctc cgg ctt cag caa cag cat ccg gat atg cgg atc 96
Gly Leu Ile Ala Leu Arg Leu Gln Gln Gln His Pro Asp Met Arg Ile
20 25 30

ttg ctt att gag gcg ggt cct gag gcg gga ggg aac cat acc tgg tcc 144
Leu Leu Ile Glu Ala Gly Pro Glu Ala Gly Gly Asn His Thr Trp Ser
35 40 45

ttt cac gaa gag gat tta acg ctg aat cag cat cgc tgg ata gcg ccg 192
Phe His Glu Glu Asp Leu Thr Leu Asn Gln His Arg Trp Ile Ala Pro
50 55 60

ctt gtg gtc cat cac tgg ccc gac tac cag gtt cgt ttc ccc caa cgc 240
Leu Val Val His His Trp Pro Asp Tyr Gln Val Arg Phe Pro Gln Arg
65 70 75 80

```
cgt cgc cat gtg aac agt ggc tac tac tgc gtg acc tcc cgg cat ttc      288
Arg Arg His Val Asn Ser Gly Tyr Tyr Cys Val Thr Ser Arg His Phe
                85                  90                  95

gcc ggg ata ctc cgg caa cag ttt gga caa cat tta tgg ctg cat acc      336
Ala Gly Ile Leu Arg Gln Gln Phe Gly Gln His Leu Trp Leu His Thr
            100                 105                 110

gcg gtt tca gcc gtt cat gct gaa tcg gtc cag tta gcg gat ggc cgg      384
Ala Val Ser Ala Val His Ala Glu Ser Val Gln Leu Ala Asp Gly Arg
        115                 120                 125

att att cat gcc agt aca gtg atc gac gga cgg ggt tac acg cct gat      432
Ile Ile His Ala Ser Thr Val Ile Asp Gly Arg Gly Tyr Thr Pro Asp
    130                 135                 140

tct gca cta cgc gta gga ttc cag gca ttt atc ggt cag gag tgg caa      480
Ser Ala Leu Arg Val Gly Phe Gln Ala Phe Ile Gly Gln Glu Trp Gln
145                 150                 155                 160

ctg agc gcg ccg cat ggt tta tcg tca ccg att atc atg gat gcg acg      528
Leu Ser Ala Pro His Gly Leu Ser Ser Pro Ile Ile Met Asp Ala Thr
                165                 170                 175

gtc gat cag caa aat ggc tac cgc ttt gtt tat acc ctg ccg ctt tcc      576
Val Asp Gln Gln Asn Gly Tyr Arg Phe Val Tyr Thr Leu Pro Leu Ser
            180                 185                 190

gca acc gca ctg ctg atc gaa gac aca cac tac att gac aag gct aat      624
Ala Thr Ala Leu Leu Ile Glu Asp Thr His Tyr Ile Asp Lys Ala Asn
        195                 200                 205

ctt cag gcc gaa cgg gcg cgt cag aac att cgc gat tat gct gcg cga      672
Leu Gln Ala Glu Arg Ala Arg Gln Asn Ile Arg Asp Tyr Ala Ala Arg
    210                 215                 220

cag ggt tgg ccg tta cag acg ttg ctg cgg gaa gaa cag ggt gca ttg      720
Gln Gly Trp Pro Leu Gln Thr Leu Leu Arg Glu Glu Gln Gly Ala Leu
225                 230                 235                 240

ccc att acg tta acg ggc gat aat cgt cag ttt tgg caa cag caa ccg      768
Pro Ile Thr Leu Thr Gly Asp Asn Arg Gln Phe Trp Gln Gln Gln Pro
                245                 250                 255

caa gcc tgt agc gga tta cgc gcc ggg ctg ttt cat ccg aca acc ggc      816
Gln Ala Cys Ser Gly Leu Arg Ala Gly Leu Phe His Pro Thr Thr Gly
            260                 265                 270

tac tcc cta ccg ctc gcg gtg gcg ctg gcc gat cgt ctc agc gcg ctg      864
Tyr Ser Leu Pro Leu Ala Val Ala Leu Ala Asp Arg Leu Ser Ala Leu
        275                 280                 285

gat gtg ttt acc tct tcc tct gtt cac cag acg att gct cac ttt gcc      912
Asp Val Phe Thr Ser Ser Ser Val His Gln Thr Ile Ala His Phe Ala
    290                 295                 300

cag caa cgt tgg cag caa cag ggg ttt ttc cgc atg ctg aat cgc atg      960
Gln Gln Arg Trp Gln Gln Gln Gly Phe Phe Arg Met Leu Asn Arg Met
305                 310                 315                 320

ttg ttt tta gcc gga ccg gcc gag tca cgc tgg cgt gtg atg cag cgt     1008
Leu Phe Leu Ala Gly Pro Ala Glu Ser Arg Trp Arg Val Met Gln Arg
                325                 330                 335

ttc tat ggc tta ccc gag gat ttg att gcc cgc ttt tat gcg gga aaa     1056
Phe Tyr Gly Leu Pro Glu Asp Leu Ile Ala Arg Phe Tyr Ala Gly Lys
            340                 345                 350
```

ctc acc gtg acc gat cgg cta cgc att ctg agc ggc aag ccg ccc gtt 1104
Leu Thr Val Thr Asp Arg Leu Arg Ile Leu Ser Gly Lys Pro Pro Val
355 360 365

ccc gtt ttc gcg gca ttg cag gca att atg acg act cat cgt tga 1149
Pro Val Phe Ala Ala Leu Gln Ala Ile Met Thr Thr His Arg
370 375 380

<210> 6
<211> 382
<212> PRT
<213> Pantoea stewartii

<400> 6

Met Gln Pro His Tyr Asp Leu Ile Leu Val Gly Ala Gly Leu Ala Asn
1 5 10 15

Gly Leu Ile Ala Leu Arg Leu Gln Gln Gln His Pro Asp Met Arg Ile
20 25 30

Leu Leu Ile Glu Ala Gly Pro Glu Ala Gly Gly Asn His Thr Trp Ser
35 40 45

Phe His Glu Glu Asp Leu Thr Leu Asn Gln His Arg Trp Ile Ala Pro
50 55 60

Leu Val Val His His Trp Pro Asp Tyr Gln Val Arg Phe Pro Gln Arg
65 70 75 80

Arg Arg His Val Asn Ser Gly Tyr Tyr Cys Val Thr Ser Arg His Phe
85 90 95

Ala Gly Ile Leu Arg Gln Gln Phe Gly Gln His Leu Trp Leu His Thr
100 105 110

Ala Val Ser Ala Val His Ala Glu Ser Val Gln Leu Ala Asp Gly Arg
115 120 125

Ile Ile His Ala Ser Thr Val Ile Asp Gly Arg Gly Tyr Thr Pro Asp
130 135 140

Ser Ala Leu Arg Val Gly Phe Gln Ala Phe Ile Gly Gln Glu Trp Gln
145 150 155 160

Leu Ser Ala Pro His Gly Leu Ser Ser Pro Ile Ile Met Asp Ala Thr
165 170 175

Val Asp Gln Gln Asn Gly Tyr Arg Phe Val Tyr Thr Leu Pro Leu Ser
180 185 190

Ala Thr Ala Leu Leu Ile Glu Asp Thr His Tyr Ile Asp Lys Ala Asn
195 200 205

Leu Gln Ala Glu Arg Ala Arg Gln Asn Ile Arg Asp Tyr Ala Ala Arg
210 215 220

Gln Gly Trp Pro Leu Gln Thr Leu Leu Arg Glu Glu Gln Gly Ala Leu
225 230 235 240

Pro Ile Thr Leu Thr Gly Asp Asn Arg Gln Phe Trp Gln Gln Gln Pro
245 250 255

Gln Ala Cys Ser Gly Leu Arg Ala Gly Leu Phe His Pro Thr Thr Gly
260 265 270

Tyr Ser Leu Pro Leu Ala Val Ala Leu Ala Asp Arg Leu Ser Ala Leu
275 280 285

Asp Val Phe Thr Ser Ser Ser Val His Gln Thr Ile Ala His Phe Ala
290 295 300

Gln Gln Arg Trp Gln Gln Gln Gly Phe Phe Arg Met Leu Asn Arg Met
305 310 315 320

Leu Phe Leu Ala Gly Pro Ala Glu Ser Arg Trp Arg Val Met Gln Arg
325 330 335

Phe Tyr Gly Leu Pro Glu Asp Leu Ile Ala Arg Phe Tyr Ala Gly Lys
340 345 350

Leu Thr Val Thr Asp Arg Leu Arg Ile Leu Ser Gly Lys Pro Pro Val
355 360 365

Pro Val Phe Ala Ala Leu Gln Ala Ile Met Thr Thr His Arg
370 375 380

<210> 7
<211> 1479
<212> DNA
<213> Pantoea stewartii

<220>
<221> CDS
<222> (1)..(1479)

<400> 7
atg aaa cca act acg gta att ggt gcg ggc ttt ggt ggc ctg gca ctg 48
Met Lys Pro Thr Thr Val Ile Gly Ala Gly Phe Gly Gly Leu Ala Leu
1 5 10 15

gca att cgt tta cag gcc gca ggt att cct gtt ttg ctg ctt gag cag 96
Ala Ile Arg Leu Gln Ala Ala Gly Ile Pro Val Leu Leu Leu Glu Gln
20 25 30

cgc gac aag ccg ggt ggc cgg gct tat gtt tat cag gag cag ggc ttt 144
Arg Asp Lys Pro Gly Gly Arg Ala Tyr Val Tyr Gln Glu Gln Gly Phe
35 40 45

```
act ttt gat gca ggc cct acc gtt atc acc gat ccc agc gcg att gaa      192
Thr Phe Asp Ala Gly Pro Thr Val Ile Thr Asp Pro Ser Ala Ile Glu
    50                  55                  60

gaa ctg ttt gct ctg gcc ggt aaa cag ctt aag gat tac gtc gag ctg      240
Glu Leu Phe Ala Leu Ala Gly Lys Gln Leu Lys Asp Tyr Val Glu Leu
65                  70                  75                  80

ttg ccg gtc acg ccg ttt tat cgc ctg tgc tgg gag tcc ggc aag gtc      288
Leu Pro Val Thr Pro Phe Tyr Arg Leu Cys Trp Glu Ser Gly Lys Val
                85                  90                  95

ttc aat tac gat aac gac cag gcc cag tta gaa gcg cag ata cag cag      336
Phe Asn Tyr Asp Asn Asp Gln Ala Gln Leu Glu Ala Gln Ile Gln Gln
            100                 105                 110

ttt aat ccg cgc gat gtt gcg ggt tat cga gcg ttc ctt gac tat tcg      384
Phe Asn Pro Arg Asp Val Ala Gly Tyr Arg Ala Phe Leu Asp Tyr Ser
        115                 120                 125

cgt gcc gta ttc aat gag ggc tat ctg aag ctc ggc act gtg cct ttt      432
Arg Ala Val Phe Asn Glu Gly Tyr Leu Lys Leu Gly Thr Val Pro Phe
    130                 135                 140

tta tcg ttc aaa gac atg ctt cgg gcc gcg ccc cag ttg gca aag ctg      480
Leu Ser Phe Lys Asp Met Leu Arg Ala Ala Pro Gln Leu Ala Lys Leu
145                 150                 155                 160

cag gca tgg cgc agc gtt tac agt aaa gtt gcc ggc tac att gag gat      528
Gln Ala Trp Arg Ser Val Tyr Ser Lys Val Ala Gly Tyr Ile Glu Asp
                165                 170                 175

gag cat ctt cgg cag gcg ttt tct ttt cac tcg ctc tta gtg ggg ggg      576
Glu His Leu Arg Gln Ala Phe Ser Phe His Ser Leu Leu Val Gly Gly
            180                 185                 190

aat ccg ttt gca acc tcg tcc att tat acg ctg att cac gcg tta gaa      624
Asn Pro Phe Ala Thr Ser Ser Ile Tyr Thr Leu Ile His Ala Leu Glu
        195                 200                 205

cgg gaa tgg ggc gtc tgg ttt cca cgc ggt gga acc ggt gcg ctg gtc      672
Arg Glu Trp Gly Val Trp Phe Pro Arg Gly Gly Thr Gly Ala Leu Val
    210                 215                 220

aat ggc atg atc aag ctg ttt cag gat ctg ggc ggc gaa gtc gtg ctt      720
Asn Gly Met Ile Lys Leu Phe Gln Asp Leu Gly Gly Glu Val Val Leu
225                 230                 235                 240

aac gcc cgg gtc agt cat atg gaa acc gtt ggg gac aag att cag gcc      768
Asn Ala Arg Val Ser His Met Glu Thr Val Gly Asp Lys Ile Gln Ala
                245                 250                 255

gtg cag ttg gaa gac ggc aga cgg ttt gaa acc tgc gcg gtg gcg tcg      816
Val Gln Leu Glu Asp Gly Arg Arg Phe Glu Thr Cys Ala Val Ala Ser
            260                 265                 270

aac gct gat gtt gta cat acc tat cgc gat ctg ctg tct cag cat ccc      864
Asn Ala Asp Val Val His Thr Tyr Arg Asp Leu Leu Ser Gln His Pro
        275                 280                 285

gca gcc gct aag cag gcg aaa aaa ctg caa tcc aag cgt atg agt aac      912
Ala Ala Ala Lys Gln Ala Lys Lys Leu Gln Ser Lys Arg Met Ser Asn
    290                 295                 300

tca ctg ttt gta ctc tat ttt ggt ctc aac cat cat cac gat caa ctc      960
Ser Leu Phe Val Leu Tyr Phe Gly Leu Asn His His His Asp Gln Leu
305                 310                 315                 320
```

```
gcc cat cat acc gtc tgt ttt ggg cca cgc tac cgt gaa ctg att cac     1008
Ala His His Thr Val Cys Phe Gly Pro Arg Tyr Arg Glu Leu Ile His
                325                 330                 335

gaa att ttt aac cat gat ggt ctg gct gag gat ttt tcg ctt tat tta     1056
Glu Ile Phe Asn His Asp Gly Leu Ala Glu Asp Phe Ser Leu Tyr Leu
            340                 345                 350

cac gca cct tgt gtc acg gat ccg tca ctg gca ccg gaa ggg tgc ggc     1104
His Ala Pro Cys Val Thr Asp Pro Ser Leu Ala Pro Glu Gly Cys Gly
        355                 360                 365

agc tat tat gtg ctg gcg cct gtt cca cac tta ggc acg gcg aac ctc     1152
Ser Tyr Tyr Val Leu Ala Pro Val Pro His Leu Gly Thr Ala Asn Leu
    370                 375                 380

gac tgg gcg gta gaa gga ccc cga ctg cgc gat cgt att ttt gac tac     1200
Asp Trp Ala Val Glu Gly Pro Arg Leu Arg Asp Arg Ile Phe Asp Tyr
385                 390                 395                 400

ctt gag caa cat tac atg cct ggc ttg cga agc cag ttg gtg acg cac     1248
Leu Glu Gln His Tyr Met Pro Gly Leu Arg Ser Gln Leu Val Thr His
                405                 410                 415

cgt atg ttt acg ccg ttc gat ttc cgc gac gag ctc aat gcc tgg caa     1296
Arg Met Phe Thr Pro Phe Asp Phe Arg Asp Glu Leu Asn Ala Trp Gln
            420                 425                 430

ggt tcg gcc ttc tcg gtt gaa cct att ctg acc cag agc gcc tgg ttc     1344
Gly Ser Ala Phe Ser Val Glu Pro Ile Leu Thr Gln Ser Ala Trp Phe
        435                 440                 445

cga cca cat aac cgc gat aag cac att gat aat ctt tat ctg gtt ggc     1392
Arg Pro His Asn Arg Asp Lys His Ile Asp Asn Leu Tyr Leu Val Gly
    450                 455                 460

gca ggc acc cat cct ggc gcg ggc att ccc ggc gta atc ggc tcg gcg     1440
Ala Gly Thr His Pro Gly Ala Gly Ile Pro Gly Val Ile Gly Ser Ala
465                 470                 475                 480

aag gcg acg gca ggc tta atg ctg gag gac ctg att tga                 1479
Lys Ala Thr Ala Gly Leu Met Leu Glu Asp Leu Ile
                485                 490
```

<210> 8
<211> 492
<212> PRT
<213> Pantoea stewartii

<400> 8

```
Met Lys Pro Thr Thr Val Ile Gly Ala Gly Phe Gly Gly Leu Ala Leu
1               5                   10                  15

Ala Ile Arg Leu Gln Ala Ala Gly Ile Pro Val Leu Leu Leu Glu Gln
            20                  25                  30

Arg Asp Lys Pro Gly Gly Arg Ala Tyr Val Tyr Gln Glu Gln Gly Phe
        35                  40                  45

Thr Phe Asp Ala Gly Pro Thr Val Ile Thr Asp Pro Ser Ala Ile Glu
    50                  55                  60
```

Glu Leu Phe Ala Leu Ala Gly Lys Gln Leu Lys Asp Tyr Val Glu Leu
65 70 75 80

Leu Pro Val Thr Pro Phe Tyr Arg Leu Cys Trp Glu Ser Gly Lys Val
85 90 95

Phe Asn Tyr Asp Asn Asp Gln Ala Gln Leu Glu Ala Gln Ile Gln Gln
100 105 110

Phe Asn Pro Arg Asp Val Ala Gly Tyr Arg Ala Phe Leu Asp Tyr Ser
115 120 125

Arg Ala Val Phe Asn Glu Gly Tyr Leu Lys Leu Gly Thr Val Pro Phe
130 135 140

Leu Ser Phe Lys Asp Met Leu Arg Ala Ala Pro Gln Leu Ala Lys Leu
145 150 155 160

Gln Ala Trp Arg Ser Val Tyr Ser Lys Val Ala Gly Tyr Ile Glu Asp
165 170 175

Glu His Leu Arg Gln Ala Phe Ser Phe His Ser Leu Leu Val Gly Gly
180 185 190

Asn Pro Phe Ala Thr Ser Ser Ile Tyr Thr Leu Ile His Ala Leu Glu
195 200 205

Arg Glu Trp Gly Val Trp Phe Pro Arg Gly Gly Thr Gly Ala Leu Val
210 215 220

Asn Gly Met Ile Lys Leu Phe Gln Asp Leu Gly Gly Glu Val Val Leu
225 230 235 240

Asn Ala Arg Val Ser His Met Glu Thr Val Gly Asp Lys Ile Gln Ala
245 250 255

Val Gln Leu Glu Asp Gly Arg Arg Phe Glu Thr Cys Ala Val Ala Ser
260 265 270

Asn Ala Asp Val Val His Thr Tyr Arg Asp Leu Leu Ser Gln His Pro
275 280 285

Ala Ala Ala Lys Gln Ala Lys Lys Leu Gln Ser Lys Arg Met Ser Asn
290 295 300

Ser Leu Phe Val Leu Tyr Phe Gly Leu Asn His His His Asp Gln Leu
305 310 315 320

Ala His His Thr Val Cys Phe Gly Pro Arg Tyr Arg Glu Leu Ile His
325 330 335

Glu Ile Phe Asn His Asp Gly Leu Ala Glu Asp Phe Ser Leu Tyr Leu
340 345 350

His Ala Pro Cys Val Thr Asp Pro Ser Leu Ala Pro Glu Gly Cys Gly
355 360 365

Ser Tyr Tyr Val Leu Ala Pro Val Pro His Leu Gly Thr Ala Asn Leu
370 375 380

Asp Trp Ala Val Glu Gly Pro Arg Leu Arg Asp Arg Ile Phe Asp Tyr
385 390 395 400

Leu Glu Gln His Tyr Met Pro Gly Leu Arg Ser Gln Leu Val Thr His
405 410 415

Arg Met Phe Thr Pro Phe Asp Phe Arg Asp Glu Leu Asn Ala Trp Gln
420 425 430

Gly Ser Ala Phe Ser Val Glu Pro Ile Leu Thr Gln Ser Ala Trp Phe
435 440 445

Arg Pro His Asn Arg Asp Lys His Ile Asp Asn Leu Tyr Leu Val Gly
450 455 460

Ala Gly Thr His Pro Gly Ala Gly Ile Pro Gly Val Ile Gly Ser Ala
465 470 475 480

Lys Ala Thr Ala Gly Leu Met Leu Glu Asp Leu Ile
485 490

<210> 9
<211> 891
<212> DNA
<213> Pantoea stewartii

<220>
<221> CDS
<222> (1)..(891)

<400> 9
atg gcg gtt ggc tcg aaa agc ttt gcg act gca tcg acg ctt ttc gac 48
Met Ala Val Gly Ser Lys Ser Phe Ala Thr Ala Ser Thr Leu Phe Asp
1 5 10 15

gcc aaa acc cgt cgc agc gtg ctg atg ctt tac gca tgg tgc cgc cac 96
Ala Lys Thr Arg Arg Ser Val Leu Met Leu Tyr Ala Trp Cys Arg His
20 25 30

tgc gac gac gtc att gac gat caa aca ctg ggc ttt cat gcc gac cag 144
Cys Asp Asp Val Ile Asp Asp Gln Thr Leu Gly Phe His Ala Asp Gln
35 40 45

ccc tct tcg cag atg cct gag cag cgc ctg cag cag ctt gaa atg aaa 192
Pro Ser Ser Gln Met Pro Glu Gln Arg Leu Gln Gln Leu Glu Met Lys
50 55 60

acg cgt cag gcc tac gcc ggt tcg caa atg cac gag ccc gct ttt gcc 240

```
Thr Arg Gln Ala Tyr Ala Gly Ser Gln Met His Glu Pro Ala Phe Ala
65                  70                  75                  80

gcg ttt cag gag gtc gcg atg gcg cat gat atc gct ccc gcc tac gcg      288
Ala Phe Gln Glu Val Ala Met Ala His Asp Ile Ala Pro Ala Tyr Ala
                85                  90                  95

ttc gac cat ctg gaa ggt ttt gcc atg gat gtg cgc gaa acg cgc tac      336
Phe Asp His Leu Glu Gly Phe Ala Met Asp Val Arg Glu Thr Arg Tyr
            100                 105                 110

ctg aca ctg gac gat acg ctg cgt tat tgc tat cac gtc gcc ggt gtt      384
Leu Thr Leu Asp Asp Thr Leu Arg Tyr Cys Tyr His Val Ala Gly Val
        115                 120                 125

gtg ggc ctg atg atg gcg caa att atg ggc gtt cgc gat aac gcc acg      432
Val Gly Leu Met Met Ala Gln Ile Met Gly Val Arg Asp Asn Ala Thr
    130                 135                 140

ctc gat cgc gcc tgc gat ctc ggg ctg gct ttc cag ttg acc aac att      480
Leu Asp Arg Ala Cys Asp Leu Gly Leu Ala Phe Gln Leu Thr Asn Ile
145                 150                 155                 160

gcg cgt gat att gtc gac gat gct cag gtg ggc cgc tgt tat ctg cct      528
Ala Arg Asp Ile Val Asp Asp Ala Gln Val Gly Arg Cys Tyr Leu Pro
                165                 170                 175

gaa agc tgg ctg gaa gag gaa gga ctg acg aaa gcg aat tat gct gcg      576
Glu Ser Trp Leu Glu Glu Glu Gly Leu Thr Lys Ala Asn Tyr Ala Ala
            180                 185                 190

cca gaa aac cgg cag gcc tta agc cgt atc gcc ggg cga ctg gta cgg      624
Pro Glu Asn Arg Gln Ala Leu Ser Arg Ile Ala Gly Arg Leu Val Arg
        195                 200                 205

gaa gcg gaa ccc tat tac gta tca tca atg gcc ggt ctg gca caa tta      672
Glu Ala Glu Pro Tyr Tyr Val Ser Ser Met Ala Gly Leu Ala Gln Leu
    210                 215                 220

ccc tta cgc tcg gcc tgg gcc atc gcg aca gcg aag cag gtg tac cgt      720
Pro Leu Arg Ser Ala Trp Ala Ile Ala Thr Ala Lys Gln Val Tyr Arg
225                 230                 235                 240

aaa att ggc gtg aaa gtt gaa cag gcc ggt aag cag gcc tgg gat cat      768
Lys Ile Gly Val Lys Val Glu Gln Ala Gly Lys Gln Ala Trp Asp His
                245                 250                 255

cgc cag tcc acg tcc acc gcc gaa aaa tta acg ctt ttg ctg acg gca      816
Arg Gln Ser Thr Ser Thr Ala Glu Lys Leu Thr Leu Leu Leu Thr Ala
            260                 265                 270

tcc ggt cag gca gtt act tcc cgg atg aag acg tat cca ccc cgt cct      864
Ser Gly Gln Ala Val Thr Ser Arg Met Lys Thr Tyr Pro Pro Arg Pro
        275                 280                 285

gct cat ctc tgg cag cgc ccg atc tag                                  891
Ala His Leu Trp Gln Arg Pro Ile
    290                 295
```

<210> 10
<211> 296
<212> PRT
<213> Pantoea stewartii

<400> 10

```
Met Ala Val Gly Ser Lys Ser Phe Ala Thr Ala Ser Thr Leu Phe Asp
```

```
1               5                  10                  15

Ala Lys Thr Arg Arg Ser Val Leu Met Leu Tyr Ala Trp Cys Arg His
            20                  25                  30

Cys Asp Asp Val Ile Asp Asp Gln Thr Leu Gly Phe His Ala Asp Gln
        35                  40                  45

Pro Ser Ser Gln Met Pro Glu Gln Arg Leu Gln Gln Leu Glu Met Lys
    50                  55                  60

Thr Arg Gln Ala Tyr Ala Gly Ser Gln Met His Glu Pro Ala Phe Ala
65                  70                  75                  80

Ala Phe Gln Glu Val Ala Met Ala His Asp Ile Ala Pro Ala Tyr Ala
                85                  90                  95

Phe Asp His Leu Glu Gly Phe Ala Met Asp Val Arg Glu Thr Arg Tyr
            100                 105                 110

Leu Thr Leu Asp Asp Thr Leu Arg Tyr Cys Tyr His Val Ala Gly Val
        115                 120                 125

Val Gly Leu Met Met Ala Gln Ile Met Gly Val Arg Asp Asn Ala Thr
    130                 135                 140

Leu Asp Arg Ala Cys Asp Leu Gly Leu Ala Phe Gln Leu Thr Asn Ile
145                 150                 155                 160

Ala Arg Asp Ile Val Asp Asp Ala Gln Val Gly Arg Cys Tyr Leu Pro
                165                 170                 175

Glu Ser Trp Leu Glu Glu Glu Gly Leu Thr Lys Ala Asn Tyr Ala Ala
            180                 185                 190

Pro Glu Asn Arg Gln Ala Leu Ser Arg Ile Ala Gly Arg Leu Val Arg
        195                 200                 205

Glu Ala Glu Pro Tyr Tyr Val Ser Ser Met Ala Gly Leu Ala Gln Leu
    210                 215                 220

Pro Leu Arg Ser Ala Trp Ala Ile Ala Thr Ala Lys Gln Val Tyr Arg
225                 230                 235                 240

Lys Ile Gly Val Lys Val Glu Gln Ala Gly Lys Gln Ala Trp Asp His
                245                 250                 255

Arg Gln Ser Thr Ser Thr Ala Glu Lys Leu Thr Leu Leu Leu Thr Ala
            260                 265                 270

Ser Gly Gln Ala Val Thr Ser Arg Met Lys Thr Tyr Pro Pro Arg Pro
```

275 280 285

Ala His Leu Trp Gln Arg Pro Ile
290 295

<210> 11
<211> 528
<212> DNA
<213> Pantoea stewartii

<220>
<221> CDS
<222> (1)..(528)

<400> 11

```
atg ttg tgg att tgg aat gcc ctg atc gtg ttt gtc acc gtg gtc ggc       48
Met Leu Trp Ile Trp Asn Ala Leu Ile Val Phe Val Thr Val Val Gly
1               5                  10                  15

atg gaa gtg gtt gct gca ctg gca cat aaa tac atc atg cac ggc tgg       96
Met Glu Val Val Ala Ala Leu Ala His Lys Tyr Ile Met His Gly Trp
            20                  25                  30

ggt tgg ggc tgg cat ctt tca cat cat gaa ccg cgt aaa ggc gca ttt      144
Gly Trp Gly Trp His Leu Ser His His Glu Pro Arg Lys Gly Ala Phe
        35                  40                  45

gaa gtt aac gat ctc tat gcc gtg gta ttc gcc att gtg tcg att gcc      192
Glu Val Asn Asp Leu Tyr Ala Val Val Phe Ala Ile Val Ser Ile Ala
    50                  55                  60

ctg att tac ttc ggc agt aca gga atc tgg ccg ctc cag tgg att ggt      240
Leu Ile Tyr Phe Gly Ser Thr Gly Ile Trp Pro Leu Gln Trp Ile Gly
65                  70                  75                  80

gca ggc atg acc gct tat ggt tta ctg tat ttt atg gtc cac gac gga      288
Ala Gly Met Thr Ala Tyr Gly Leu Leu Tyr Phe Met Val His Asp Gly
                85                  90                  95

ctg gta cac cag cgc tgg ccg ttc cgc tac ata ccg cgc aaa ggc tac      336
Leu Val His Gln Arg Trp Pro Phe Arg Tyr Ile Pro Arg Lys Gly Tyr
            100                 105                 110

ctg aaa cgg tta tac atg gcc cac cgt atg cat cat gct gta agg gga      384
Leu Lys Arg Leu Tyr Met Ala His Arg Met His His Ala Val Arg Gly
        115                 120                 125

aaa gag ggc tgc gtg tcc ttt ggt ttt ctg tac gcg cca ccg tta tct      432
Lys Glu Gly Cys Val Ser Phe Gly Phe Leu Tyr Ala Pro Pro Leu Ser
    130                 135                 140

aaa ctt cag gcg acg ctg aga gaa agg cat gcg gct aga tcg ggc gct      480
Lys Leu Gln Ala Thr Leu Arg Glu Arg His Ala Ala Arg Ser Gly Ala
145                 150                 155                 160

gcc aga gat gag cag gac ggg gtg gat acg tct tca tcc ggg aag taa      528
Ala Arg Asp Glu Gln Asp Gly Val Asp Thr Ser Ser Ser Gly Lys
                165                 170                 175
```

<210> 12
<211> 175
<212> PRT
<213> Pantoea stewartii

<400> 12

Met Leu Trp Ile Trp Asn Ala Leu Ile Val Phe Val Thr Val Val Gly
1 5 10 15

Met Glu Val Val Ala Ala Leu Ala His Lys Tyr Ile Met His Gly Trp
20 25 30

Gly Trp Gly Trp His Leu Ser His His Glu Pro Arg Lys Gly Ala Phe
35 40 45

Glu Val Asn Asp Leu Tyr Ala Val Val Phe Ala Ile Val Ser Ile Ala
50 55 60

Leu Ile Tyr Phe Gly Ser Thr Gly Ile Trp Pro Leu Gln Trp Ile Gly
65 70 75 80

Ala Gly Met Thr Ala Tyr Gly Leu Leu Tyr Phe Met Val His Asp Gly
85 90 95

Leu Val His Gln Arg Trp Pro Phe Arg Tyr Ile Pro Arg Lys Gly Tyr
100 105 110

Leu Lys Arg Leu Tyr Met Ala His Arg Met His His Ala Val Arg Gly
115 120 125

Lys Glu Gly Cys Val Ser Phe Gly Phe Leu Tyr Ala Pro Pro Leu Ser
130 135 140

Lys Leu Gln Ala Thr Leu Arg Glu Arg His Ala Ala Arg Ser Gly Ala
145 150 155 160

Ala Arg Asp Glu Gln Asp Gly Val Asp Thr Ser Ser Ser Gly Lys
165 170 175

<210> 13
<211> 25
<212> DNA
<213> Artificial sequence

<220>
<223> First primer used to amplify carotenoid gene cluster.

<400> 13
atgacggtct gcgcaaaaaa acacg 25

<210> 14
<211> 28
<212> DNA
<213> Artificial sequence

<220>
<223> Second primer used to amplify carotenoid gene cluster.

<400> 14
gagaaattat gttgtggatt tggaatgc 28

<210> 15
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Tn5PCRF.

<400> 15
gctgagttga aggatcagat c 21

<210> 16
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Tn5PCRR.

<400> 16
cgagcaagac gtttcccgtt g 21

<210> 17
<211> 25
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Kan-2 FP-1

<400> 17
acctacaaca aagctctcat caacc 25

<210> 18
<211> 25
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Kan-2 RP-1

<400> 18
gcaatgtaac atcagagatt ttgag 25

<210> 19
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y1_F

<400> 19
agcaccatga tcatctggcg 20

<210> 20
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Primer Y1_R

<400> 20
cggttgcgct ggaagaaaac 20

<210> 21
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y4_F

<400> 21
caccctgtgc cattttcagc 20

<210> 22
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y4_R

<400> 22
cgttctgggt atggcccaga 20

<210> 23
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y8_1_F

<400> 23
aaagctaacc cgtggcagca 20

<210> 24
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y8_1_R

<400> 24
tttgcgttcc ccgaggcata 20

<210> 25
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y12_F

<400> 25
ttccgaaatg gcgtcagctc 20

<210> 26
<211> 25

<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y12_R

<400> 26
atctctacat tgattatgag tattc 25

<210> 27
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y15_F

<400> 27
ggatcgatct tgagatgacc 20

<210> 28
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y15_R

<400> 28
gctttcgtaa ttttcgcatt tctg 24

<210> 29
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y16_F

<400> 29
cacgccaagt tgcgcaagta 20

<210> 30
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y16_R

<400> 30
gcagaaaatg gtgactcagg 20

<210> 31
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y17_F

<400> 31
ggcgatcctc gtcgatttct 20

<210> 32
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y17_R

<400> 32
acgcagacga gagtttgcgt 20

<210> 33
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y21_F

<400> 33
accgaatgcc cttgctgttg 20

<210> 34
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Primer Y21_R

<400> 34
gggtgttcag gtatggctta 20

<210> 35
<211> 3159
<212> DNA
<213> Escherichia coli

<400> 35
atgcctgtta taactcttcc tgatggcagc caacgccatt acgatcacgc tgtaagcccc 60
atggatgttg cgctggacat tggtccaggt ctggcgaaag cctgtatcgc agggcgcgtt 120
aatggcgaac tggttgatgc ttgcgatctg attgaaaacg acgcacaact gtcgatcatt 180
accgccaaag acgaagaagg tctggagatc attcgtcact cctgtgcgca cctgttaggg 240
cacgcgatta aacaactttg gccgcatacc aaaatggcaa tcggcccggt tattgacaac 300
ggtttttatt acgacgttga tcttgaccgc acgttaaccc aggaagatgt cgaagcactc 360
gagaagcgga tgcatgagct tgctgagaaa aactacgacg tcattaagaa gaaagtcagc 420
tggcacgaag cgcgtgaaac tttcgccaac cgtggggaga gctacaaagt ctccattctt 480
gacgaaaaca tcgcccatga tgacaagcca ggtctgtact tccatgaaga atatgtcgat 540
atgtgccgcg gtccgcacgt accgaacatg cgtttctgcc atcatttcaa actaatgaaa 600
acggcagggg cttactggcg tggcgacagc aacaacaaaa tgttgcaacg tatttacggt 660
acggcgtggg cagacaaaaa agcacttaac gcttacctgc agcgcctgga agaagccgcg 720

aaacgcgacc accgtaaaat cggtaaacag ctcgacctgt accatatgca ggaagaagcg 780
ccgggtatgg tattctggca caacgacggc tggaccatct tccgtgaact ggaagtgttt 840
gttcgttcta aactgaaaga gtaccagtat caggaagtta aaggtccgtt catgatggac 900
cgtgtcctgt gggaaaaaac cggtcactgg gacaactaca aagatgcaat gttcaccaca 960
tcttctgaga accgtgaata ctgcattaag ccgatgaact gcccgggtca cgtacaaatt 1020
ttcaaccagg ggctgaagtc ttatcgcgat ctgccgctgc gtatggccga gtttggtagc 1080
tgccaccgta acgagccgtc aggttcgctg catggcctga tgcgcgtgcg tggatttacc 1140
caggatgacg cgcatatctt ctgtactgaa gaacaaattc gcgatgaagt taacggatgt 1200
atccgtttag tctatgatat gtacagcact tttggcttcg agaagatcgt cgtcaaactc 1260
tccactcgtc ctgaaaaacg tattggcagc gacgaaatgt gggatcgtgc tgaggcggac 1320
ctggcggttg cgctggaaga aaacaacatc ccgtttgaat atcaactggg tgaaggcgct 1380
ttctacggtc cgaaaattga atttaccctg tatgactgcc tcgatcgtgc atggcagtgc 1440
ggtacagtac agctggactt ctctttgccg tctcgtctga gcgcttctta tgtaggcgaa 1500
gacaatgaac gtaaagtacc ggtaatgatt caccgcgcaa ttctggggtc gatggaacgt 1560
ttcatcggta tcctgaccga agagttcgct ggtttcttcc cgacctggct tgcgccggtt 1620
caggttgtta tcatgaatat taccgattca cagtctgaat acgttaacga attgacgcaa 1680
aaactatcaa atgcgggcat tcgtgttaaa gcagacttga gaaatgagaa gattggcttt 1740
aaaatccgcg agcacacttt gcgtcgcgtc ccatatatgc tggtctgtgg tgataaagag 1800
gtggaatcag gcaaagttgc cgttcgcacc cgccgtggta aagacctggg aagcatggac 1860
gtaaatgaag tgatcgagaa gctgcaacaa gagattcgca gccgcagtct taaacctgtc 1920
tcttatacac atctcaacca tcatcgatga attgtgtctc aaaatctctg atgttacatt 1980
gcacaagata aaaatatatc atcatgaaca ataaaactgt ctgcttacat aaacagtaat 2040
acaaggggtg ttatgagcca tattcaacgg gaaacgtctt gctcgaggcc gcgattaaat 2100
tccaacatgg atgctgattt atatgggtat aaatgggctc gcgataatgt cgggcaatca 2160
ggtgcgacaa tctatcgatt gtatgggaag cccgatgcgc cagagttgtt tctgaaacat 2220
ggcaaaggta gcgttgccaa tgatgttaca gatgagatgg tcagactaaa ctggctgacg 2280
gaatttatgc ctcttccgac catcaagcat tttatccgta ctcctgatga tgcatggtta 2340
ctcaccactg cgatccccgg aaaaacagca ttccaggtat tagaagaata tcctgattca 2400
ggtgaaaata ttgttgatgc gctggcagtg ttcctgcgcc ggttgcattc gattcctgtt 2460
tgtaattgtc cttttaacag cgatcgcgta tttcgtctcg ctcaggcgca atcacgaatg 2520
aataacggtt tggttgatgc gagtgatttt gatgacgagc gtaatggctg gcctgttgaa 2580
caagtctgga aagaaatgca taaacttttg ccattctcac cggattcagt cgtcactcat 2640
ggtgatttct cacttgataa ccttatttttt gacgagggga aattaatagg ttgtattgat 2700
gttggacgag tcggaatcgc agaccgatac caggatcttg ccatcctatg gaactgcctc 2760

ggtgagtttt ctccttcatt acagaaacgg ctttttcaaa aatatggtat tgataatcct 2820

gatatgaata aattgcagtt tcatttgatg ctcgatgagt ttttctaatc agaattggtt 2880

aattggttgt aacactggca gagcattacg ctgacttgac gggacggcgg ctttgttgaa 2940

taaatcgaac ttttgctgag ttgaaggatc agatcacgca tcttcccgac aacgcagacc 3000

gttccgtggc aaagcaaaag ttcaaaatca ccaactggtc cacctacaac aaagctctca 3060

tcaaccgtgg cggggatcct ctagagtcga cctgcaggca tgcaagcttc agggttgaga 3120

tgtgtataag agacaggtct taaacaattg gaggaataa 3159

<210> 36
<211> 3171
<212> DNA
<213> Escherichia coli

<400> 36
atgatgagtt atgtagactg gccgccatta attttgaggc acacgtacta catggctgaa 60

ttcgaaacca cttttgcaga tctgggcctg aaggctccta tccttgaagc ccttaacgat 120

ctgggttacg aaaaaccatc tccaattcag gcagagtgta ttccacatct gctgaatggc 180

cgcgacgttc tgggtatggc ccagacgggg agcggaaaaa ctgcagcatt ctctttacct 240

ctgttgcaga atcttgatcc tgagctgaaa gcaccacaga ttctggtgct ggcaccgacc 300

cgcgaactgg cggtacaggt tgctgaagca atgacggatt tctctaaaca catgcgcggc 360

gtaaatgtgg ttgctctgta cggcggccag cgttatgacg tgcaattacg cgccctgcgt 420

caggggccgc agatcgttgt cggtactccg ggccgtctgc tggaccacct gaaacgtggc 480

actctggacc tctctaaact gagcggtctg gttctggatg aagctgacga aatgctgcgc 540

atgggcttca tcgaagacgt tgaaaccatt atggcgcaga tcccggaagg tcatcagacc 600

gctctgttct ctgcaaccat gccggaagcg attcgtcgca ttacccgccg ctttatgaaa 660

gagccgcagg aagtgcgcat tcagtccagc gtgactaccc gtcctgacat cagccagagc 720

tactggactg tctggggtat gcgcaaaaac gaagcactgg tacgctgtct cttatacaca 780

tctcaaccat catcgatgaa ttgtgtctca aaatctctga tgttacattg cacaagataa 840

aaatatatca tcatgaacaa taaaactgtc tgcttacata aacagtaata caaggggtgt 900

tatgagccat attcaacggg aaacgtcttg ctcgaggccg cgattaaatt ccaacatgga 960

tgctgattta tatgggtata aatgggctcg cgataatgtc gggcaatcag gtgcgacaat 1020

ctatcgattg tatgggaagc ccgatgcgcc agagttgttt ctgaaacatg gcaaaggtag 1080

cgttgccaat gatgttacag atgagatggt cagactaaac tggctgacgg aatttatgcc 1140

tcttccgacc atcaagcatt ttatccgtac tcctgatgat gcatggttac tcaccactgc 1200

gatccccgga aaaacagcat tccaggtatt agaagaatat cctgattcag gtgaaaatat 1260

tgttgatgcg ctggcagtgt tcctgcgccg gttgcattcg attcctgttt gtaattgtcc 1320

ttttaacagc gatcgcgtat ttcgtctcgc tcaggcgcaa tcacgaatga ataacggttt 1380

ggttgatgcg agtgattttg atgacgagcg taatggctgg cctgttgaac aagtctggaa 1440

agaaatgcat aaacttttgc cattctcacc ggattcagtc gtcactcatg gtgatttctc 1500

acttgataac cttatttttg acgaggggaa attaataggt tgtattgatg ttggacgagt 1560

cggaatcgca gaccgatacc aggatcttgc catcctatgg aactgcctcg gtgagttttc 1620

tccttcatta cagaaacggc tttttcaaaa atatggtatt gataatcctg atatgaataa 1680

attgcagttt catttgatgc tcgatgagtt tttctaatca gaattggtta attggttgta 1740

acactggcag agcattacgc tgacttgacg ggacggcggc tttgttgaat aaatcgaact 1800

tttgctgagt tgaaggatca gatcacgcat cttcccgaca acgcagaccg ttccgtggca 1860

aagcaaaagt tcaaaatcac caactggtcc acctacaaca aagctctcat caaccgtggc 1920

ggggatcctc tagagtcgac ctgcaggcat gcaagcttca gggttgagat gtgtataaga 1980

gacagactgg tacgtttcct ggaagcggaa gattttgatg cggcgattat cttcgttcgt 2040

accaaaaacg cgactctgga agtggctgaa gctcttgagc gtaacggcta caacagcgcc 2100

gcgctgaacg gtgacatgaa ccaggcgctg cgtgaacaga cactggaacg cctgaaagat 2160

ggtcgtctgg acatcctgat tgcgaccgac gttgcagccc gtggcctgga cgttgagcgt 2220

atcagcctgg tagttaacta cgatatcccg atggattctg agtcttacgt tcaccgtatc 2280

ggtcgtaccg gtcgtgcggg tcgtgctggc cgcgcgctgc tgttcgttga gaaccgcgag 2340

cgtcgtctgc tgcgcaacat tgaacgtact atgaagctga ctattccgga agtagaactg 2400

ccgaacgcag aactgctagg caaacgccgt ctggaaaaat tcgccgctaa agtacagcag 2460

cagctggaaa gcagcgatct ggatcaatac cgcgcactgc tgagcaaaat tcagccgact 2520

gctgaaggtg aagagctgga tctcgaaact ctggctgcgg cactgctgaa aatggcacag 2580

ggtgaacgta ctctgatcgt accgccagat gcgccgatgc gtccgaaacg tgaattccgt 2640

gaccgtgatg accgtggtcc gcgcgatcgt aacgaccgtg gcccgcgtgg tgaccgtgaa 2700

gatcgtccgc gtcgtgaacg tcgtgatgtt ggcgatatgc agctgtaccg cattgaagtg 2760

ggccgcgatg atggtgttga agttcgtcat atcgttggtg cgattgctaa cgaaggcgac 2820

atcagcagcc gttacattgg taacatcaag ctgtttgctt ctcactccac catcgaactg 2880

ccgaaaggta tgccgggtga agtgctgcaa cactttacgc gcactcgcat tctcaacaag 2940

ccgatgaaca tgcagttact gggcgatgca cagccgcata ctggcggtga gcgtcgtggc 3000

ggtggtcgtg gtttcggtgg cgaacgtcgt gaaggcggtc gtaacttcag cggtgaacgc 3060

cgtgaaggtg gccgtggtga tggtcgtcgt tttagcggcg aacgtcgtga aggccgcgct 3120

ccgcgtcgtg atgattctac cggtcgtcgt cgtttcggtg gtgatgcgta a 3171

<210> 37
<211> 2904
<212> DNA
<213> Escherichia coli

<400> 37
atgactgaat cttttgctca actctttgaa gagtccttaa aagaaatcga aacccgcccg 60

ggttctatcg ttcgtggcgt tgttgttgct atcgacaaag acgtagtact ggttgacgct 120
ggtctgaaat ctgagtccgc catcccggct gagcagttca aaaacgccca gggcgagctg 180
gaaatccagg taggtgacga agttgacgtt gctctggacg cagtagaaga cggcttcggt 240
gaaactctgc tgtcccgtga gaaagctaaa cgtcacgaag cctggatcac gctggaaaaa 300
gcttacgaag atgctgaaac tgttaccggt gttatcaacg gcaaagttaa gggcggcttc 360
actgttgagc tgaacggtat tcgtgcgttc ctgccaggtt ctctggtaga cgttcgtccg 420
gtgcgtgaca ctctgcacct ggaaggcaaa gagcttgaat ttaaagtaat caagctggat 480
cagaagcgca acaacgttgt tgtttctcgt cgtgccgtta tcgaatccga aaacagcgca 540
gagcgcgatc agctgctgga aaacctgcag gaaggcatgg aagttaaagg tatcgttaag 600
aacctcactg actacggtgc attcgttgat ctgggcggcg ttgacggcct gctgcacatc 660
actgacatgg cctggaaacg cgttaagcat ccgagcgaaa tcgtcaacgt gggcgacgaa 720
atcactgtta aagtgctgaa gttcgaccgc gaacgtaccc gtgtatccct gggcctgaaa 780
cagctgggcg aagatccgtg ggtagctatc gctaaacgtt atccggaagg taccaaactg 840
actggtcgcg tgaccaacct gaccgactac ggctgcttcg ttgaaatcga agaaggcgtt 900
gaaggcctgg tacacgtttc cgaaatggac tggaccaaca aaaacatcca cccgtccaaa 960
gttgttaacg ttggcgatgt agtggaagtt atggttctgg atatcgacga agaacgtcgt 1020
cgtatctccc tgggtctgaa acagtgcaaa gctaacccgt ggcagcagtt cgcggaaacc 1080
cacaacaagg gcgaccgtgt tgaaggtaaa atcaagtcta tcactgactt cggtatcttc 1140
atcggcttgg acggcggcat cgacggcctg gttcacctgt ctgacatctc ctggaacgtt 1200
gcaggcgaag aagcagttcg tgaatacaaa aaaggcgacg aaatcgctgc agttgttctg 1260
caggttgacg cagaacgtga acgtatctcc ctgggcgtta aacagctcgc agaagatccg 1320
ttcaacaact gggttgctct gaacaagaaa ggcgctatcg taaccggtaa agtaactgca 1380
gttgacgcta aaggcgcaac cgtagaactg gctgacggcg ttgaaggtta cctgcgtgct 1440
tctgaagcat cccgtgaccg cgttgaagac gctaccctgg ttctgagcgt tggcgacgaa 1500
gttgaagcta aattcaccgg cgttgatcgt aaaaaccgcg caatcagcct gtctgttcgt 1560
gcgaaagacg aagctgacga gaaagatgca atcgcaactg tctcttatac acatctcaac 1620
cctgaagctt gcatgcctgc aggtcgactc tagaggatcc ccgccacggt tgatgagagc 1680
tttgttgtag gtggaccagt tggtgatttt gaacttttgc tttgccacgg aacggtctgc 1740
gttgtcggga agatgcgtga tctgatcctt caactcagca aaagttcgat ttattcaaca 1800
aagccgccgt cccgtcaagt cagcgtaatg ctctgccagt gttacaacca attaaccaat 1860
tctgattaga aaaactcatc gagcatcaaa tgaaactgca atttattcat atcaggatta 1920
tcaataccat atttttgaaa aagccgtttc tgtaatgaag gagaaaactc accgaggcag 1980
ttccatagga tggcaagatc ctggtatcgg tctgcgattc cgactcgtcc aacatcaata 2040
caacctatta atttcccctc gtcaaaaata aggttatcaa gtgagaaatc accatgagtg 2100

acgactgaat ccggtgagaa tggcaaaagt ttatgcattt ctttccagac ttgttcaaca 2160

ggccagccat tacgctcgtc atcaaaatca ctcgcatcaa ccaaaccgtt attcattcgt 2220

gattgcgcct gagcgagacg aaatacgcga tcgctgttaa aaggacaatt acaaacagga 2280

atcgaatgca accggcgcag gaacactgcc agcgcatcaa caatattttc acctgaatca 2340

ggatattctt ctaatacctg gaatgctgtt tttccgggga tcgcagtggt gagtaaccat 2400

gcatcatcag gagtacggat aaaatgcttg atggtcggaa gaggcataaa ttccgtcagc 2460

cagtttagtc tgaccatctc atctgtaaca tcattggcaa cgctaccttt gccatgtttc 2520

agaaacaact ctggcgcatc gggcttccca tacaatcgat agattgtcgc acctgattgc 2580

ccgacattat cgcgagccca tttataccca tataaatcag catccatgtt ggaatttaat 2640

cgcggcctcg agcaagacgt ttcccgttga atatggctca taacacccct tgtattactg 2700

tttatgtaag cagacagttt tattgttcat gatgatatat ttttatcttg tgcaatgtaa 2760

catcagagat tttgagacac aattcatcga tgatggttga gatgtgtata agagacagca 2820

atcgcaactg ttaacaaaca ggaagatgca aacttctcca acaacgcaat ggctgaagct 2880

ttcaaagcag ctaaaggcga gtaa 2904

<210> 38
<211> 5454
<212> DNA
<213> Escherichia coli

<400> 38
gtgaaagatt tattaaagtt tctgaaagcg cagactaaaa ccgaagagtt tgatgcgatc 60

aaaattgctc tggcttcgcc agacatgatc cgttcatggt ctttcggtga agttaaaaag 120

ccggaaacca tcaactaccg tacgttcaaa ccagaacgtg acggcctttt ctgcgcccgt 180

atctttgggc cggtaaaaga ttacgagtgc ctgtgcggta agtacaagcg cctgaaacac 240

cgtggcgtca tctgtgagaa gtgcggcgtt gaagtgaccc agactaaagt acgccgtgag 300

cgtatgggcc acatcgaact ggcttccccg actgcgcaca tctggttcct gaaatcgctg 360

ccgtcccgta tcggtctgct gctcgatatg ccgctgcgcg atatcgaacg cgtactgtac 420

tttgaatcct atgtggttat cgaaggcggt atgaccaacc tggaacgtca gcagatcctg 480

actgaagagc agtatctgga cgcgctggaa gagttcggtg acgaattcga cgcgaagatg 540

ggggcggaag caatccaggc tctgctgaag agcatggatc tggagcaaga gtgcgaacag 600

ctgcgtgaag agctgaacga aaccaactcc gaaaccaagc gtaaaaagct gaccaagcgt 660

atcaaactgc tggaagcgtt cgttcagtct ggtaacaaac cagagtggat gatcctgacc 720

gttctgccgg tactgccgcc agatctgcgt ccgctggttc cgctggatgg tggtcgtttc 780

gcgacttctg acctgaacga tctgtatcgt cgcgtcatta accgtaacaa ccgtctgaaa 840

cgtctgctgg atctggctgc gccggacatc atcgtacgta acgaaaaacg tatgctgcag 900

gaagcggtag acgccctgct ggataacggt cgtcgcggtc gtgcgatcac cggttctaac 960

aagcgtcctc tgaaatcttt ggccgacatg atcaaaggta aacagggtcg tttccgtcag 1020

aacctgctcg gtaagcgtgt tgactactcc ggtcgttctg taatcaccgt aggtccatac 1080
ctgcgtctgc atcagtgcgg tctgccgaag aaaatggcac tggagctgtt caaaccgttc 1140
atctacggca agctggaact gcgtggtctt gctaccacca ttaaagctgc gaagaaaatg 1200
gttgagcgcg aagaagctgt cgtttgggat atcctggacg aagttatccg cgaacacccg 1260
gtactgctga accgtgcacc gactctgcac cgtctgggta tccaggcatt tgaaccggta 1320
ctgatcgaag gtaaagctat ccagctgcac ccgctggttt gtgcggcata taacgccgac 1380
ttcgatggtg accagatggc tgttcacgta ccgctgacgc tggaagccca gctggaagcg 1440
cgtgcgctga tgatgtctac caacaacatc ctgtccccgg cgaacggcga accaatcatc 1500
gttccgtctc aggacgttgt actgggtctg tactacatga cccgtgactg tgttaacgcc 1560
aaaggcgaag gcatggtgct gactggcccg aaagaagcag aacgtctgta tcgctctggt 1620
ctggcttctc tgcatgcgcg cgttaaagtg cgtatcaccg agtatgaaaa agatgctaac 1680
ggtgaattag tagcgaaaac cagcctgaaa gacacgactg ttggccgtgc cattctgtgg 1740
atgattgtac cgaaaggtct gccttactcc atcgtcaacc aggcgctggg taaaaaagca 1800
atctccaaaa tgctgaacac ctgctaccgc attctcggtc tgaaaccgac cgttatttt 1860
gcggaccaga tcatgtacac cggcttcgcc tatgcagcgc gttctggtgc atctgttggt 1920
atcgatgaca tggtcatccc ggagaagaaa cacgaaatca tctccgaggc agaagcagaa 1980
gttgctgaaa ttcaggagca gttccagtct ggtctggtaa ctgcgggcga acgctacaac 2040
aaagttatcg atatctgggc tgcggcgaac gatcgtgtat ccaaagcgat gatggataac 2100
ctgcaaactg aaaccgtgat taaccgtgac ggtcaggaag agaagcaggt ttccttcaac 2160
agcatctaca tgatggccga ctccggtgcg cgtggttctg cggcacagat tcgtcagctt 2220
gctggtatgc gtggtctgat ggcgaagccg gatggctcca tcatcgaaac gccaatcacc 2280
gcgaacttcc gtgaaggtct gaacgtactc cagtacttca tctccaccca cggtgctcgt 2340
aaaggtctgg cggataccgc actgaaaact gcgaactccg gttacctgac tcgtcgtctg 2400
gttgacgtgg cgcaggacct ggtggttacc gaagacgatt gtggtaccca tgaaggtatc 2460
atgatgactc cggttatcga gggtggtgac gttaaagagc cgctgcgcga tcgcgtactg 2520
ggtcgtgtaa ctgctgaaga cgttctgaag ccgggtactg ctgatatcct cgttccgcgc 2580
aacacgctgc tgcacgaaca gtggtgtgac ctgctggaag agaactctgt cgacgcggtt 2640
aaagtacgtt ctgttgtatc ttgtgacacc gactttggtg tatgtgcgca ctgctacggt 2700
cgtgacctgg cgcgtggcca catcatcaac aagggtgaag caatcggtgt tatcgcggca 2760
cagtccatcg gtgaaccggg tacacagctg accatgcgta cgttccacat cggtggtgcg 2820
gcatctcgtg cggctgctga atccagcatc caagtgaaaa acaaaggtag catcaagctc 2880
agcaacgtga agtcggttgt gaactccagc ggtaaactgg ttatcacttc ccgtaatact 2940
gaactgaaac tgatcgacga attcggtcgt actaaagaaa gctacaaagt accttacggt 3000
gcggtactgg cgaaaggcga tggcgaacag gttgctggcg gcgaaaccgt tgcaaactgg 3060

gacccgcaca ccatgccggt tatcaccgaa gtaagcggtt ttgtacgctt tactgacatg 3120
atcgacggcc agaccattac gcgtcagacc gacgaactga ccggtctgtc ttcgctggtg 3180
gttctggatt ccgcagaacg taccgcaggt ggtaaagatc tgcgtccggc actgaaaatc 3240
gttgatgctc agggtaacga cgttctgatc ccaggtaccg atatgccagc gcagtacttc 3300
ctgccgggta aagcgattgt tcagctggaa gatggcgtac agatcagctc tggtgacacc 3360
ctggcgcgta ttccgcagga atccggcggt accaaggaca tcaccggtgg tctgccgcgc 3420
gttgcggacc tgttcgaagc acgtcgtccg aaagagccgg caatcctggc tgaaatcagc 3480
ggtatcgttt ccttcggtaa agaaaccaaa ggtaaacgtc gtctggttat caccccggta 3540
gacggtagcg atccgtacga agagatgatt ccgaaatggc gtcagctcaa cgtgttcgaa 3600
ggtgaacgtg tagaacgtgg tgacgtaatt tccgacggtc cggaagcgcc gcacgacatt 3660
ctgcgtctgc gtggtgttca tgctgttact cgttacatcg ttaacgaagt acaggacgta 3720
taccgtctgc agggcgttaa gattaacgat aaacacatcg aagttatcgt tcgtcagatg 3780
ctgcgtaaag ctaccatcgt taacgcgggt agctccgact tcctggaagg cgaacaggtt 3840
gaatactctc gcgtcaagat cgcaaaccgc gaactggaag cgaacggcaa agtgggtgca 3900
acttactccc gcgatctgct gggtatcacc aaagcgtctc tggcaaccga gtccttcatc 3960
tccgcggcat cgttccagga gaccactcgc gtgctgaccg aagcagccgt tgcgggcaaa 4020
cgcgacgaac tgcgcggcct gaaagagaac gttatcgtgg gtcgtctgat cccggcaggt 4080
accggttacg cgtaccacca ggatcgtatg cgtcgccgtg ctgcgggtga agctctgtct 4140
cttatacaca tctcaaccct gaagcttgca tgcctgcagg tcgactctag aggatccccg 4200
ccacggttga tgagagcttt gttgtaggtg gaccagttgg tgattttgaa cttttgcttt 4260
gccacggaac ggtctgcgtt gtcgggaaga tgcgtgatct gatccttcaa ctcagcaaaa 4320
gttcgattta ttcaacaaag ccgccgtccc gtcaagtcag cgtaatgctc tgccagtgtt 4380
acaaccaatt aaccaattct gattagaaaa actcatcgag catcaaatga aactgcaatt 4440
tattcatatc aggattatca ataccatatt tttgaaaaag ccgtttctgt aatgaaggag 4500
aaaactcacc gaggcagttc cataggatgg caagatcctg gtatcggtct gcgattccga 4560
ctcgtccaac atcaatacaa cctattaatt tcccctcgtc aaaaataagg ttatcaagtg 4620
agaaatcacc atgagtgacg actgaatccg gtgagaatgg caaaagttta tgcatttctt 4680
tccagacttg ttcaacaggc cagccattac gctcgtcatc aaaatcactc gcatcaacca 4740
aaccgttatt cattcgtgat tgcgcctgag cgagacgaaa tacgcgatcg ctgttaaaag 4800
gacaattaca aacaggaatc gaatgcaacc ggcgcaggaa cactgccagc gcatcaacaa 4860
tattttcacc tgaatcagga tattcttcta atacctggaa tgctgttttt ccggggatcg 4920
cagtggtgag taaccatgca tcatcaggag tacggataaa atgcttgatg gtcggaagag 4980
gcataaattc cgtcagccag tttagtctga ccatctcatc tgtaacatca ttggcaacgc 5040
tacctttgcc atgtttcaga aacaactctg gcgcatcggg cttcccatac aatcgataga 5100

ttgtcgcacc tgattgcccg acattatcgc gagcccattt atacccatat aaatcagcat 5160

ccatgttgga atttaatcgc ggcctcgagc aagacgtttc ccgttgaata tggctcataa 5220

caccccttgt attactgttt atgtaagcag acagttttat tgttcatgat gatatatttt 5280

tatcttgtgc aatgtaacat cagagatttt gagacacaat tcatcgatga tggttgagat 5340

gtgtataaga gacagggtga agctccggct gcaccgcagg tgactgcaga agacgcatct 5400

gccagcctgg cagaactgct gaacgcaggt ctgggcggtt ctgataacga gtaa 5454

<210> 39
<211> 1845
<212> DNA
<213> Escherichia coli

<400> 39
atgggcaaaa catctatgat acacgcaatt gtggatcaat atagtcactg tgaatgggtg 60

gaaaatagca tgagtgccaa tgaaaacaac ctgatttgga tcgatcttga gatgaccggt 120

ctggatcccg agcgcgatcg cattattgag attgccacgc tggtgaccga tgccaacctg 180

aatattctgg cagaagggcc gaccattgca gtacaccagt ctgatgaaca gctggcgctg 240

atggatgact ggaacgtgcg cacccatacc gccagcgggc tggtagagcg cgtgaaagcg 300

agcacgatgg gcgatcggga agctgaactg gcaacgctcg aatttttaaa acagtgggtg 360

cctgcgggaa aatcgccgat ttgcggtaac agcatcggtc aggaccgtcg tttcctgttt 420

aaatacatgc cggagctgga agcctacttc cactaccgtt atctcgatgt cagcaccctg 480

aaagagctgg cgcgccgctg gaagccggaa attctggatg gttttaccaa gcaggggacg 540

catcaggcga tggatgatat ccgtgaatcg gtggcggagc tggcttacta cctgtctctt 600

atacacatct caaccctgaa gcttgcatgc ctgcaggtcg actctagagg atccccgcca 660

cggttgatga gagctttgtt gtaggtggac cagttggtga ttttgaactt ttgctttgcc 720

acggaacggt ctgcgttgtc gggaagatgc gtgatctgat ccttcaactc agcaaaagtt 780

cgatttattc aacaaagccg ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca 840

accaattaac caattctgat tagaaaaact catcgagcat caaatgaaac tgcaatttat 900

tcatatcagg attatcaata ccatattttt gaaaaagccg tttctgtaat gaaggagaaa 960

actcaccgag gcagttccat aggatggcaa gatcctggta tcggtctgcg attccgactc 1020

gtccaacatc aatacaacct attaatttcc cctcgtcaaa aataaggtta tcaagtgaga 1080

aatcaccatg agtgacgact gaatccggtg agaatggcaa aagtttatgc atttctttcc 1140

agacttgttc aacaggccag ccattacgct cgtcatcaaa atcactcgca tcaaccaaac 1200

cgttattcat tcgtgattgc gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac 1260

aattacaaac aggaatcgaa tgcaaccggc gcaggaacac tgccagcgca tcaacaatat 1320

tttcacctga atcaggatat tcttctaata cctggaatgc tgtttttccg gggatcgcag 1380

tggtgagtaa ccatgcatca tcaggagtac ggataaaatg cttgatggtc ggaagaggca 1440

taaattccgt cagccagttt agtctgacca tctcatctgt aacatcattg gcaacgctac 1500

ctttgccatg tttcagaaac aactctggcg catcgggctt cccatacaat cgatagattg 1560

tcgcacctga ttgcccgaca ttatcgcgag cccatttata cccatataaa tcagcatcca 1620

tgttggaatt taatcgcggc ctcgagcaag acgtttcccg ttgaatatgg ctcataacac 1680

cccttgtatt actgtttatg taagcagaca gttttattgt tcatgatgat atatttttat 1740

cttgtgcaat gtaacatcag agattttgag acacaattca tcgatgatgg ttgagatgtg 1800

tataagagac aggcttacta ccgcgagcat tttatcaagc tgtaa 1845

<210> 40
<211> 2334
<212> DNA
<213> Escherichia coli

<400> 40
atgaagccaa tttttagccg tggcccgtcg ctacagattc gccttattct ggcggtgctg 60

gtggcgctcg gcattattat tgccgacagc cgcctgggga cgttcagtca aatccgtact 120

tatatggata ccgccgtcag tcctttctac tttgtttcca atgctcctcg tgaattgctg 180

gatggcgtat cgcagacgct ggcctcgcgt gaccaattag aacttgaaaa ccgggcgtta 240

cgtcaggaac tgttgctgaa aaacagtgaa ctgctgatgc ttggacaata caaacaggag 300

aacgcgcgtc tgcgcgagct gctgggttcc ccgctgcgtc aggatgagca gaaaatggtg 360

actcaggtta tctccacggt taacgatcct tatagcgatc aagttgttat cgataaaggt 420

agcgttaatg gcgtttatga aggccagccg gtcatcagcg acaaaggtgt tgttggtcag 480

gtggtggccg tcgctaaact gaccagtcgc gtgctgctga tttgtgatgc gacccacgcg 540

ctgccaatcc aggtgctgcg caacgatatc cgcgtaattg cagccggtaa cggttgtacg 600

gatgatttgc agcttgagca tctgccggcg aatacggata ttcgtgttgg tgatgtgctg 660

gtgacttccg gtctgggcgg tcgtttcccg gaaggctatc cggtcgcggt tgtctcttcc 720

gtaaaactcg atacccagcg cgcttatact gtgattcagg cgcgtccgac tgcagggctg 780

caacgtttgc gttatctgct gctgctgtgg ggggcagatc gtaacggcgc taacccgatg 840

acgccggaag aggtgcatcg tgttgctaat gaacgtctga tgcagatgat gccgcaggta 900

ttgccttcgc cagacgcgat ggggccaaag ttacctgaac cggcaacggg gatcgctcag 960

ccgactccgc agcaaccggc gacaggaaat gcagctactg cgcctgctgc gccgacacag 1020

cctctgtctc ttatacacat ctcaaccatc atcgatgaat tgtgtctcaa aatctctgat 1080

gttacattgc acaagataaa aatatatcat catgaacaat aaaactgtct gcttacataa 1140

acagtaatac aaggggtgtt atgagccata ttcaacggga aacgtcttgc tcgaggccgc 1200

gattaaattc caacatggat gctgatttat atgggtataa atgggctcgc gataatgtcg 1260

ggcaatcagg tgcgacaatc tatcgattgt atgggaagcc cgatgcgcca gagttgtttc 1320

tgaaacatgg caaaggtagc gttgccaatg atgttacaga tgagatggtc agactaaact 1380

ggctgacgga atttatgcct cttccgacca tcaagcattt tatccgtact cctgatgatg 1440

catggttact caccactgcg atccccggaa aaacagcatt ccaggtatta gaagaatatc 1500

ctgattcagg tgaaaatatt gttgatgcgc tggcagtgtt cctgcgccgg ttgcattcga 1560

ttcctgtttg taattgtcct tttaacagcg atcgcgtatt tcgtctcgct caggcgcaat 1620

cacgaatgaa taacggtttg gttgatgcga gtgattttga tgacgagcgt aatggctggc 1680

ctgttgaaca agtctggaaa gaaatgcata aacttttgcc attctcaccg gattcagtcg 1740

tcactcatgg tgatttctca cttgataacc ttatttttga cgaggggaaa ttaataggtt 1800

gtattgatgt tggacgagtc ggaatcgcag accgatacca ggatcttgcc atcctatgga 1860

actgcctcgg tgagttttct ccttcattac agaaacggct tttcaaaaa tatggtattg 1920

ataatcctga tatgaataaa ttgcagtttc atttgatgct cgatgagttt ttctaatcag 1980

aattggttaa ttggttgtaa cactggcaga gcattacgct gacttgacgg gacggcggct 2040

ttgttgaata aatcgaactt ttgctgagtt gaaggatcag atcacgcatc ttcccgacaa 2100

cgcagaccgt tccgtggcaa agcaaaagtt caaaatcacc aactggtcca cctacaacaa 2160

agctctcatc aaccgtggcg gggatcctct agagtcgacc tgcaggcatg caagcttcag 2220

ggttgagatg tgtataagag acagacacag cctgctgcta atcgctctcc acaaagggct 2280

acgccgccgc aaagtggtgc tcaaccgcct gcgcgtgcgc cgggagggca atag 2334

<210> 41
<211> 2676
<212> DNA
<213> Escherichia coli

<400> 41
atgcgaagtg aacagatttc tggctcgtca ctcaatccgt cttgtcgttt cagttcctgt 60

ctcttataca catctcaacc atcatcgatg aattgtgtct caaaatctct gatgttacat 120

tgcacaagat aaaaatatat catcatgaac aataaaactg tctgcttaca taaacagtaa 180

tacaaggggt gttatgagcc atattcaacg ggaaacgtct tgctcgaggc cgcgattaaa 240

ttccaacatg gatgctgatt tatatgggta taaatgggct cgcgataatg tcgggcaatc 300

aggtgcgaca atctatcgat tgtatgggaa gcccgatgcg ccagagttgt ttctgaaaca 360

tggcaaaggt agcgttgcca atgatgttac agatgagatg gtcagactaa actggctgac 420

ggaatttatg cctcttccga ccatcaagca ttttatccgt actcctgatg atgcatggtt 480

actcaccact gcgatccccg gaaaaacagc attccaggta ttagaagaat atcctgattc 540

aggtgaaaat attgttgatg cgctggcagt gttcctgcgc cggttgcatt cgattcctgt 600

ttgtaattgt ccttttaaca gcgatcgcgt atttcgtctc gctcaggcgc aatcacgaat 660

gaataacggt ttggttgatg cgagtgattt tgatgacgag cgtaatggct ggcctgttga 720

acaagtctgg aaagaaatgc ataaacttttt gccattctca ccggattcag tcgtcactca 780

tggtgatttc tcacttgata accttatttt tgacgagggg aaattaatag gttgtattga 840

tgttggacga gtcggaatcg cagaccgata ccaggatctt gccatcctat ggaactgcct 900

cggtgagttt tctccttcat tacagaaacg gctttttcaa aaatatggta ttgataatcc 960

tgatatgaat aaattgcagt ttcatttgat gctcgatgag tttttctaat cagaattggt 1020

taattggttg taacactggc agagcattac gctgacttga cgggacggcg gctttgttga 1080

ataaatcgaa cttttgctga gttgaaggat cagatcacgc atcttcccga caacgcagac 1140

cgttccgtgg caaagcaaaa gttcaaaatc accaactggt ccacctacaa caaagctctc 1200

atcaaccgtg gcggggatcc tctagagtcg acctgcaggc atgcaagctt cagggttgag 1260

atgtgtataa gagacagttt cagttctgcg tactctcctg tgaccaggca gcgaaaagac 1320

atgagtcgat gaccgtaaac aggcatggat gatcctgcca taccattcac aacattaagt 1380

tcgagattta ccccaagttt aagaactcac accactatga atcttaccga attaaagaat 1440

acgccggttt ctgagctgat cactctcggc gaaaatatgg ggctggaaaa cctggctcgt 1500

atgcgtaagc aggacattat ttttgccatc ctgaagcagc acgcaaagag tggcgaagat 1560

atctttggtg atggcgtact ggagatattg caggatggat ttggtttcct ccgttccgca 1620

gacagctcct acctcgccgg tcctgatgac atctacgttt cccctagcca aatccgccgt 1680

ttcaacctcc gcactggtga taccatctct ggtaagattc gcccgccgaa agaaggtgaa 1740

cgctattttg cgctgctgaa agttaacgaa gttaacttcg acaaacctga aaacgcccgc 1800

aacaaaatcc tctttgagaa cttaaccccg ctgcacgcaa actctcgtct gcgtatggaa 1860

cgtggtaacg gttctactga agatttaact gctcgcgtac tggatctggc atcacctatc 1920

ggtcgtggtc agcgtggtct gattgtggca ccgccgaaag ccggtaaaac catgctgctg 1980

cagaacattg ctcagagcat tgcttacaac cacccggatt gtgtgctgat ggttctgctg 2040

atcgacgaac gtccggaaga agtaaccgag atgcagcgtc tggtaaaagg tgaagttgtt 2100

gcttctacct ttgacgaacc cgcatctcgc cacgttcagg ttgcggaaat ggtgatcgag 2160

aaggccaaac gcctggttga gcacaagaaa gacgttatca ttctgctcga ctccatcact 2220

cgtctggcgc gcgcttacaa caccgttgtt ccggcgtcag gtaaagtgtt gaccggtggt 2280

gtggatgcca acgccctgca tcgtccgaaa cgcttctttg gtgcggcgcg taacgtggaa 2340

gagggcggca gcctgaccat tatcgcgacg gcgcttatcg ataccggttc taaaatggac 2400

gaagttatct acgaagagtt taaaggtaca ggcaacatgg aactgcacct ctctcgtaag 2460

atcgctgaaa aacgcgtctt cccggctatc gactacaacc gttctggtac ccgtaaagaa 2520

gagctgctca cgactcagga agaactgcag aaaatgtgga tcctgcgcaa aatcattcac 2580

ccgatgggcg aaatcgatgc aatggaattc ctcattaata aactggcaat gaccaagacc 2640

aatgacgatt tcttcgaaat gatgaaacgc tcataa 2676

<210> 42
<211> 1746
<212> DNA
<213> Escherichia coli

<400> 42
atggattact tcaccctctt tggcttgcct gcccgctatc aactcgatac ccaggcgctg 60

agcctgcgtt ttcaggatct acaacgtcag tatcatcctg ataaattcgc cagcggaagc 120
caggcggaac aactcgccgc cgtacagcaa tctgcaacca ttaaccaggc ctggcaaacg 180
ctgcgtcatc cgttaatgcg cgcggaatat ttgctttctt tgcacggctt tgatctcgcc 240
agcgagcagc atacctgtct cttatacaca tctcaaccat catcgatgaa ttgtgtctca 300
aaatctctga tgttacattg cacaagataa aaatatatca tcatgaacaa taaaactgtc 360
tgcttacata aacagtaata caaggggtgt tatgagccat attcaacggg aaacgtcttg 420
ctcgaggccg cgattaaatt ccaacatgga tgctgattta tatgggtata aatgggctcg 480
cgataatgtc gggcaatcag gtgcgacaat ctatcgattg tatgggaagc ccgatgcgcc 540
agagttgttt ctgaaacatg gcaaaggtag cgttgccaat gatgttacag atgagatggt 600
cagactaaac tggctgacgg aatttatgcc tcttccgacc atcaagcatt ttatccgtac 660
tcctgatgat gcatggttac tcaccactgc gatccccgga aaaacagcat tccaggtatt 720
agaagaatat cctgattcag gtgaaaatat tgttgatgcg ctggcagtgt tcctgcgccg 780
gttgcattcg attcctgttt gtaattgtcc ttttaacagc gatcgcgtat ttcgtctcgc 840
tcaggcgcaa tcacgaatga ataacggttt ggttgatgcg agtgattttg atgacgagcg 900
taatggctgg cctgttgaac aagtctggaa agaaatgcat aaacttttgc cattctcacc 960
ggattcagtc gtcactcatg gtgatttctc acttgataac cttatttttg acgaggggaa 1020
attaataggt tgtattgatg ttggacgagt cggaatcgca gaccgatacc aggatcttgc 1080
catcctatgg aactgcctcg gtgagttttc tccttcatta cagaaacggc tttttcaaaa 1140
atatggtatt gataatcctg atatgaataa attgcagttt catttgatgc tcgatgagtt 1200
tttctaatca gaattggtta attggttgta acactggcag agcattacgc tgacttgacg 1260
ggacggcggc tttgttgaat aaatcgaact tttgctgagt tgaaggatca gatcacgcat 1320
cttcccgaca acgcagaccg ttccgtggca aagcaaaagt tcaaaatcac caactggtcc 1380
acctacaaca aagctctcat caaccgtggc ggggatcctc tagagtcgac ctgcaggcat 1440
gcaagcttca gggttgagat gtgtataaga gacaggcagc atactgtgcg cgacaccgcg 1500
ttcctgatgg aacagttgga gctgcgcgaa gagctggacg agatcgaaca ggcgaaagat 1560
gaagcgcggc tggaaagctt tatcaaacgt gtgaaaaaga tgtttgatac ccgccatcag 1620
ttgatggttg aacagttaga caacgagacg tgggacgcgg cggcggatac cgtgcgtaag 1680
ctgcgttttc tcgataaact gcgaagcagt gccgaacaac tcgaagaaaa actgctcgat 1740
ttttaa 1746

<210> 43
<211> 8609
<212> DNA
<213> Artificial sequence

<220>
<223> Reporter plasmid pPCB15

<400> 43

cgtatggcaa tgaaagacgg tgagctggtg atatgggata gtgttcaccc ttgttacacc 60

gttttccatg agcaaactga aacgttttca tcgctctgga gtgaatacca cgacgatttc 120

cggcagtttc tacacatata ttcgcaagat gtggcgtgtt acggtgaaaa cctggcctat 180

ttccctaaag ggtttattga gaatatgttt ttcgtctcag ccaatccctg ggtgagtttc 240

accagttttg atttaaacgt ggccaatatg gacaacttct tcgcccccgt tttcaccatg 300

ggcaaatatt atacgcaagg cgacaaggtg ctgatgccgc tggcgattca ggttcatcat 360

gccgtctgtg atggcttcca tgtcggcaga atgcttaatg aattacaaca gtactgcgat 420

gagtggcagg gcggggcgta attttttaa ggcagttatt ggtgcctaga aatattttat 480

ctgattaata agatgatctt cttgagatcg ttttggtctg cgcgtaatct cttgctctga 540

aaacgaaaaa accgccttgc agggcggttt ttcgaaggtt ctctgagcta ccaactcttt 600

gaaccgaggt aactggcttg gaggagcgca gtcaccaaaa cttgtccttt cagtttagcc 660

ttaaccggcg catgacttca agactaactc ctctaaatca attaccagtg gctgctgcca 720

gtggtgcttt tgcatgtctt tccgggttgg actcaagacg atagttaccg gataaggcgc 780

agcggtcgga ctgaacgggg ggttcgtgca tacagtccag cttggagcga actgcctacc 840

cggaactgag tgtcaggcgt ggaatgagac aaacgcggcc ataacagcgg aatgacaccg 900

gtaaaccgaa aggcaggaac aggagagcgc acgagggagc cgccagggga aacgcctggt 960

atctttatag tcctgtcggg tttcgccacc actgatttga gcgtcagatt tcgtgatgct 1020

tgtcaggggg gcggagccta tggaaaaacg gctttgccgc ggccctctca cttccctgtt 1080

aagtatcttc ctggcatctt ccaggaaatc tccgccccgt tcgtaagcca tttccgctcg 1140

ccgcagtcga acgaccgagc gtagcgagtc agtgagcgag gaagcggaat atatcctgta 1200

tcacatattc tgctgacgca ccggtgcagc ctttttttctc ctgccacatg aagcacttca 1260

ctgacaccct catcagtgcc aacatagtaa gccagtatat acactccgct agcgcccaat 1320

acgcaaaccg cctctccccg cgcgttggcc gattcattaa tgcagctggc acgacaggtt 1380

tcccgactgg aaagcgggca gtgagcgcaa cgcaattaat gtgagttagc tcactcatta 1440

ggcaccccag gctttacact ttatgcttcc ggctcgtatg ttgtgtggaa ttgtgagcgg 1500

ataacaattt cacacaggaa acagctatga ccatgattac gaattcgagc tcggtaccca 1560

aacgaattcg ccctttttgac ggtctgcgca aaaaaacacg ttcaccttac tggcatttcg 1620

gctgagcagt tgctggctga tatcgatagc cgccttgatc agttactgcc ggttcagggt 1680

gagcgggatt gtgtgggtgc cgcgatgcgt gaaggcacgc tggcaccggg caaacgtatt 1740

cgtccgatgc tgctgttatt aacagcgcgc gatcttggct gtgcgatcag tcacggggga 1800

ttactggatt tagcctgcgc ggttgaaatg gtgcatgctg cctcgctgat tctggatgat 1860

atgccctgca tggacgatgc gcagatgcgt cgggggcgtc ccaccattca cacgcagtac 1920

ggtgaacatg tggcgattct ggcggcggtc gctttactca gcaaagcgtt tggggtgatt 1980

gccgaggctg aaggtctgac gccgatagcc aaaactcgcg cggtgtcgga gctgtccact 2040

gcgattggca tgcagggtct ggttcagggc cagtttaagg acctctcgga aggcgataaa 2100
ccccgcagcg ccgatgccat actgctaacc aatcagttta aaaccagcac gctgttttgc 2160
gcgtcaacgc aaatggcgtc cattgcggcc aacgcgtcct gcgaagcgcg tgagaacctg 2220
catcgtttct cgctcgatct cggccaggcc tttcagttgc ttgacgatct taccgatggc 2280
atgaccgata ccggcaaaga catcaatcag gatgcaggta aatcaacgct ggtcaattta 2340
ttaggctcag gcgcggtcga agaacgcctg cgacagcatt tgcgcctggc cagtgaacac 2400
ctttccgcgg catgccaaaa cggccattcc accacccaac tttttattca ggcctggttt 2460
gacaaaaaac tcgctgccgt cagttaagga tgctgcatga gccattttgc ggtgatcgca 2520
ccgccctttt tcagccatgt tcgcgctctg caaaaccttg ctcaggaatt agtggcccgc 2580
ggtcatcgtg ttacgttttt tcagcaacat gactgcaaag cgctggtaac gggcagcgat 2640
atcggattcc agaccgtcgg actgcaaacg catcctcccg gttccttatc gcacctgctg 2700
cacctggccg cgcacccact cggaccctcg atgttacgac tgatcaatga aatggcacgt 2760
accagcgata tgctttgccg ggaactgccc gccgctttтc atgcgttgca gatagagggc 2820
gtgatcgttg atcaaatgga gccggcaggt gcagtagtcg cagaagcgtc aggtctgccg 2880
tttgtttcgg tggcctgcgc gctgccgctc aaccgcgaac cgggtttgcc tctggcggtg 2940
atgcctttcg agtacggcac cagcgatgcg gctcgggaac gctataccac cagcgaaaaa 3000
atttatgact ggctgatgcg acgtcacgat cgtgtgatcg cgcatcatgc atgcagaatg 3060
ggtttagccc cgcgtgaaaa actgcatcat tgtttttctc cactggcaca aatcagccag 3120
ttgatccccg aactggattt tccccgcaaa gcgctgccag actgctttca tgcggttgga 3180
ccgttacggc aaccccaggg gacgccgggg tcatcaactt cttattttcc gtccccggac 3240
aaaccccgta tttttgcctc gctgggcacc ctgcagggac atcgttatgg cctgttcagg 3300
accatcgcca aagcctgcga agaggtggat gcgcagttac tgttggcaca ctgtggcggc 3360
ctctcagcca cgcaggcagg tgaactggcc cggggcgggg acattcaggt tgtggatttt 3420
gccgatcaat ccgcagcact ttcacaggca cagttgacaa tcacacatgg tgggatgaat 3480
acggtactgg acgctattgc ttcccgcaca ccgctactgg cgctgccgct ggcatttgat 3540
caacctggcg tggcatcacg aattgtttat catggcatcg gcaagcgtgc gtctcggttt 3600
actaccagcc atgcgctggc gcggcagatt cgatcgctgc tgactaacac cgattacccg 3660
cagcgtatga caaaaattca ggccgcattg cgtctggcag gcggcacacc agccgccgcc 3720
gatattgttg aacaggcgat gcggacctgt cagccagtac tcagtgggca ggattatgca 3780
accgcactat gatctcattc tggtcggtgc cggtctggct aatggcctta tcgcgctccg 3840
gcttcagcaa cagcatccgg atatgcggat cttgcttatt gaggcgggtc ctgaggcggg 3900
agggaaccat acctggtcct ttcacgaaga ggatttaacg ctgaatcagc atcgctggat 3960
agcgccgctt gtggtccatc actggcccga ctaccaggtt cgtttccccc aacgccgtcg 4020
ccatgtgaac agtggctact actgcgtgac ctcccggcat ttcgccggga tactccggca 4080

acagtttgga caacatttat ggctgcatac cgcggtttca gccgttcatg ctgaatcggt 4140
ccagttagcg gatggccgga ttattcatgc cagtacagtg atcgacggac ggggttacac 4200
gcctgattct gcactacgcg taggattcca ggcatttatc ggtcaggagt ggcaactgag 4260
cgcgccgcat ggtttatcgt caccgattat catggatgcg acggtcgatc agcaaaatgg 4320
ctaccgcttt gtttataccc tgccgctttc cgcaaccgca ctgctgatcg aagacacaca 4380
ctacattgac aaggctaatc ttcaggccga acgggcgcgt cagaacattc gcgattatgc 4440
tgcgcgacag ggttggccgt tacagacgtt gctgcgggaa gaacagggtg cattgcccat 4500
tacgttaacg ggcgataatc gtcagttttg gcaacagcaa ccgcaagcct gtagcggatt 4560
acgcgccggg ctgtttcatc cgacaaccgg ctactcccta ccgctcgcgg tggcgctggc 4620
cgatcgtctc agcgcgctgg atgtgtttac ctcttcctct gttcaccaga cgattgctca 4680
ctttgcccag caacgttggc agcaacaggg gtttttccgc atgctgaatc gcatgttgtt 4740
tttagccgga ccggccgagt cacgctggcg tgtgatgcag cgtttctatg gcttacccga 4800
ggatttgatt gcccgctttt atgcgggaaa actcaccgtg accgatcggc tacgcattct 4860
gagcggcaag ccgcccgttc ccgttttcgc ggcattgcag gcaattatga cgactcatcg 4920
ttgaagagcg actacatgaa accaactacg gtaattggtg cgggctttgg tggcctggca 4980
ctggcaattc gtttacaggc cgcaggtatt cctgttttgc tgcttgagca gcgcgacaag 5040
ccgggtggcc gggcttatgt ttatcaggag cagggcttta cttttgatgc aggccctacc 5100
gttatcaccg atcccagcgc gattgaagaa ctgtttgctc tggccggtaa acagcttaag 5160
gattacgtcg agctgttgcc ggtcacgccg ttttatcgcc tgtgctggga gtccggcaag 5220
gtcttcaatt acgataacga ccaggcccag ttagaagcgc agatacagca gtttaatccg 5280
cgcgatgttg cgggttatcg agcgttcctt gactattcgc gtgccgtatt caatgagggc 5340
tatctgaagc tcggcactgt gccttttta tcgttcaaag acatgcttcg ggccgcgccc 5400
cagttggcaa agctgcaggc atggcgcagc gtttacagta aagttgccgg ctacattgag 5460
gatgagcatc ttcggcaggc gttttctttt cactcgctct tagtgggggg gaatccgttt 5520
gcaacctcgt ccatttatac gctgattcac gcgttagaac gggaatgggg cgtctggttt 5580
ccacgcggtg gaaccggtgc gctggtcaat ggcatgatca agctgtttca ggatctgggc 5640
ggcgaagtcg tgcttaacgc ccgggtcagt catatggaaa ccgttgggga caagattcag 5700
gccgtgcagt tggaagacgg cagacggttt gaaacctgcg cggtggcgtc gaacgctgat 5760
gttgtacata cctatcgcga tctgctgtct cagcatcccg cagccgctaa gcaggcgaaa 5820
aaactgcaat ccaagcgtat gagtaactca ctgtttgtac tctattttgg tctcaaccat 5880
catcacgatc aactcgccca tcataccgtc tgttttgggc cacgctaccg tgaactgatt 5940
cacgaaattt ttaaccatga tggtctggct gaggattttt cgctttattt acacgcacct 6000
tgtgtcacgg atccgtcact ggcaccggaa gggtgcggca gctattatgt gctggcgcct 6060
gttccacact taggcacggc gaacctcgac tgggcggtag aaggaccccg actgcgcgat 6120

cgtatttttg actaccttga gcaacattac atgcctggct tgcgaagcca gttggtgacg 6180
caccgtatgt ttacgccgtt cgatttccgc gacgagctca atgcctggca aggttcggcc 6240
ttctcggttg aacctattct gacccagagc gcctggttcc gaccacataa ccgcgataag 6300
cacattgata atctttatct ggttggcgca ggcacccatc ctggcgcggg cattcccggc 6360
gtaatcggct cggcgaaggc gacggcaggc ttaatgctgg aggacctgat ttgacgaata 6420
cgtcattact gaatcatgcc gtcgaaacca tggcggttgg ctcgaaaagc tttgcgactg 6480
catcgacgct tttcgacgcc aaaacccgtc gcagcgtgct gatgctttac gcatggtgcc 6540
gccactgcga cgacgtcatt gacgatcaaa cactgggctt tcatgccgac cagccctctt 6600
cgcagatgcc tgagcagcgc ctgcagcagc ttgaaatgaa aacgcgtcag gcctacgccg 6660
gttcgcaaat gcacgagccc gcttttgccg cgtttcagga ggtcgcgatg gcgcatgata 6720
tcgctcccgc ctacgcgttc gaccatctgg aaggttttgc catggatgtg cgcgaaacgc 6780
gctacctgac actggacgat acgctgcgtt attgctatca cgtcgccggt gttgtgggcc 6840
tgatgatggc gcaaattatg ggcgttcgcg ataacgccac gctcgatcgc gcctgcgatc 6900
tcgggctggc tttccagttg accaacattg cgcgtgatat tgtcgacgat gctcaggtgg 6960
gccgctgtta tctgcctgaa agctggctgg aagaggaagg actgacgaaa gcgaattatg 7020
ctgcgccaga aaaccggcag gccttaagcc gtatcgccgg gcgactggta cgggaagcgg 7080
aaccctatta cgtatcatca atggccggtc tggcacaatt acccttacgc tcggcctggg 7140
ccatcgcgac agcgaagcag gtgtaccgta aaattggcgt gaaagttgaa caggccggta 7200
agcaggcctg ggatcatcgc cagtccacgt ccaccgccga aaaattaacg cttttgctga 7260
cggcatccgg tcaggcagtt acttcccgga tgaagacgta tccaccccgt cctgctcatc 7320
tctggcagcg cccgatctag ccgcatgcct ttctctcagc gtcgcctgaa gtttagataa 7380
cggtggcgcg tacagaaaac caaaggacac gcagccctct tttcccctta cagcatgatg 7440
catacggtgg gccatgtata accgtttcag gtagcctttg cgcggtatgt agcggaacgg 7500
ccagcgctgg tgtaccagtc cgtcgtggac cataaaatac agtaaaccat aagcggtcat 7560
gcctgcacca atccactgga gcggccagat tcctgtactg ccgaagtaaa tcagggcaat 7620
cgacacaatg gcgaatacca cggcatagag atcgttaact tcaaatgcgc ctttacgcgg 7680
ttcatgatgt gaaagatgcc agccccaacc ccagccgtgc atgatgtatt tatgtgccag 7740
tgcagcaacc acttccatgc cgaccacggt gacaaacacg atcagggcat tccaaatcca 7800
caacataatt tctcaagggc gaattcgcgg ggatcctcta gagtcgacct gcaggcatgc 7860
aagcttggca ctggccgtcg ttttacaacg tcgtgactgg gaaaaccctg gcgttaccca 7920
acttaatcgc cttgcagcac atccccctttt cgccagctgg cgtaatagcg aagaggcccg 7980
caccgatcgc ccttcccaac agttgcgcag cctgaatggc gaatggcgct gatgtccggc 8040
ggtgcttttg ccgttacgca ccaccccgtc agtagctgaa caggagggac agctgataga 8100
aacagaagcc actggagcac ctcaaaaaca ccatcataca ctaaatcagt aagttggcag 8160

catcacccga cgcactttgc gccgaataaa tacctgtgac ggaagatcac ttcgcagaat 8220

aaataaatcc tggtgtccct gttgataccg ggaagccctg ggccaacttt tggcgaaaat 8280

gagacgttga tcggcacgta agaggttcca actttcacca taatgaaata agatcactac 8340

cgggcgtatt ttttgagtta tcgagatttt caggagctaa ggaagctaaa atggagaaaa 8400

aaatcactgg atataccacc gttgatatat cccaatggca tcgtaaagaa cattttgagg 8460

catttcagtc agttgctcaa tgtacctata accagaccgt tcagctggat attacggcct 8520

ttttaaagac cgtaaagaaa aataagcaca agttttatcc ggcctttatt cacattcttg 8580

cccgcctgat gaatgctcat ccggaattt 8609